

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF020725AR\
 Data File : FF015500.D
 Signal(s) : FID2B.ch
 Acq On : 08 Feb 2025 00:00
 Operator : YP\AJ
 Sample : Q1308-03DL2 20X
 Misc :
 ALS Vial : 84 Sample Multiplier: 1

Instrument :
 FID_F
 ClientSampleId :
 EX-6-TPH-2DL2

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 02/10/2025
 Supervised By :Ankita Jodhani 02/10/2025

Integration File: autoint1.e
 Quant Time: Feb 10 00:38:13 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\Aromatic EPH 020525.M
 Quant Title : GC Extractables
 QLast Update : Thu Feb 06 05:23:26 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.982	472865	3.979 ug/mlm
Spiked Amount 50.000		Recovery =	7.96%
6) S 2-Fluorobiphenyl (SURR)	8.860	190283	2.506 ug/mlm
Spiked Amount 50.000 Range 0 - 131		Recovery =	5.01%
11) S ortho-Terphenyl (SURR)	11.924	365134	2.769 ug/mlm
Spiked Amount 50.000		Recovery =	5.54%

Target Compounds

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF020725AR\
Data File : FF015500.D
Signal(s) : FID2B.ch
Acq On : 08 Feb 2025 00:00
Operator : YP\AJ
Sample : Q1308-03DL2 20X
Misc :
ALS Vial : 84 Sample Multiplier: 1


Instrument :
FID_F
ClientSampleId :
EX-6-TPH-2DL2


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 02/10/2025
Supervised By :Ankita Jodhani 02/10/2025

Integration File: autoint1.e
Quant Time: Feb 10 00:38:13 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\Aromatic EPH 020525.M
Quant Title : GC Extractables
QLast Update : Thu Feb 06 05:23:26 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#4 2-Bromonaphthalene (SURR)

R.T.: 7.982 min
Delta R.T.: -0.015 min
Response: 472865
Conc: 3.98 ug/ml

Instrument : FID_F
ClientSampleId : EX-6-TPH-2DL2


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 02/10/2025
Supervised By :Ankita Jodhani 02/10/2025



#6 2-Fluorobiphenyl (SURR)

R.T.: 8.860 min
Delta R.T.: -0.012 min
Response: 190283
Conc: 2.51 ug/ml m



#11 ortho-Terphenyl (SURR)

R.T.: 11.924 min
Delta R.T.: -0.010 min
Response: 365134
Conc: 2.77 ug/ml m