

rters

Instrument :  
FID\_F  
LabSampleId :  
50 PPM TRPH STD  
Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_F\Data\FF02152  
Data File : FF012095.D  
Signal(s) : FID2B.ch  
Acq On : 15 Feb 2023 10:02  
Sample : 50 PPM TRPH STD  
Misc :  
ALS Vial : 53 Sample Multiplier: 1

Manual IntegrationsAPPROVED

Reviewed By :Ankita Jodhani 02/16/2023  
Supervised By :Sohil Jodhani 02/16/2023

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_F\Method\FF012723.M  
Title :

Signal : FID2B.ch

| peak<br>#               | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-------------------------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1                       | 2.081       | 2.030        | 2.204      | BB       | 295035         | 5502267      | 79.61%         | 4.890%        |
| 2                       | 4.608       | 4.566        | 4.680      | BB       | 578911         | 6307720      | 91.27%         | 5.606%        |
| 3                       | 6.772       | 6.736        | 6.827      | BB       | 640823         | 6426993      | 92.99%         | 5.712%        |
| 4                       | 8.600       | 8.564        | 8.666      | BB       | 614223         | 6550067      | 94.77%         | 5.822%        |
| 5                       | 10.207      | 10.160       | 10.270     | BB       | 598514         | 6632288      | 95.96%         | 5.895%        |
| 6                       | 11.650      | 11.600       | 11.700     | BB       | 597250         | 6787626      | 98.21%         | 6.033%        |
| 7                       | 12.960      | 12.871       | 13.013     | BB       | 564261         | 6911310      | 100.00%        | 6.143%        |
| 8                       | 14.159      | 14.083       | 14.209     | BB       | 544376         | 6879891      | 99.55%         | 6.115%        |
| 9                       | 15.060      | 15.005       | 15.089     | BV       | 431830         | 6009083      | 86.95%         | 5.341%        |
| 10                      | 15.263      | 15.192       | 15.317     | BB       | 530539         | 6791957      | 98.27%         | 6.037%        |
| 11                      | 16.286      | 16.230       | 16.339     | BB       | 497600         | 6606209      | 95.59%         | 5.871%        |
| 12                      | 17.236      | 17.165       | 17.273     | BB       | 476452         | 6532087      | 94.51%         | 5.806%        |
| 13                      | 18.124      | 18.060       | 18.165     | BB       | 462621         | 6513450      | 94.24%         | 5.789%        |
| 14                      | 18.956      | 18.669       | 18.996     | BV       | 451373         | 6308605      | 91.28%         | 5.607%        |
| 15                      | 19.741      | 19.515       | 19.780     | PV       | 391912         | 5699937      | 82.47%         | 5.066%        |
| 16                      | 20.480      | 20.399       | 20.526     | VV       | 366162         | 5826032      | 84.30%         | 5.178%        |
| 17                      | 21.224      | 21.160       | 21.292     | VV       | 282043         | 5465037      | 79.07%         | 4.857%        |
| 18                      | 22.151      | 22.089       | 22.251     | VBA      | 193651         | 4763589      | 68.92%         | 4.234%        |
| Sum of corrected areas: |             |              |            |          |                | 112514147    |                |               |

FF012723.M Thu Feb 16 05:12:13 2023