

nteres

Instrument :
FID_F
ClientSampleId :
LOD-MDL-WATER-04-QT1-2023
Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 02/23/2023
Supervised By :Ankita Jodhani 02/23/2023

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF02222
Data File : FF012186.D
Signal(s) : FID2B.ch
Acq On : 22 Feb 2023 15:24
Sample : 01627-10
Misc : 1 PPM WATER LOD
ALS Vial : 8 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF022123.M
Title :

Signal : FID2B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	2.085	2.053	2.118	BB	13965	131014	5.52%	2.602%
2	4.599	4.571	4.634	BB	14228	142452	6.00%	2.829%
3	6.760	6.736	6.798	BB	11472	121753	5.13%	2.418%
4	8.591	8.562	8.671	BB	6686	140763	5.93%	2.796%
5	10.195	10.160	10.241	BB	11056	145232	6.12%	2.884%
6	11.635	11.594	11.674	BB	11987	146929	6.19%	2.918%
7	12.943	12.906	12.989	BB	12267	156422	6.59%	3.107%
8	14.140	14.103	14.175	BB	11950	148342	6.25%	2.946%
9	15.040	15.002	15.113	BB	167736	2372820	100.00%	47.124%
10	15.242	15.209	15.282	BB	10925	146854	6.19%	2.916%
11	16.264	16.234	16.303	BB	10796	142598	6.01%	2.832%
12	17.213	17.172	17.250	BB	11778	163719	6.90%	3.251%
13	18.100	18.050	18.133	BB	14781	206793	8.72%	4.107%
14	18.933	18.906	18.974	BB	17337	256803	10.82%	5.100%
15	19.715	19.690	19.757	BB	12167	176275	7.43%	3.501%
16	20.454	20.420	20.478	BV	9631	151356	6.38%	3.006%
17	21.193	21.160	21.231	BB	6850	119307	5.03%	2.369%
18	22.112	22.054	22.192	BB	5314	165878	6.99%	3.294%
Sum of corrected areas:						5035311		

FF022123.M Thu Feb 23 01:38:08 2023