

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF030419\
 Data File : FF003709.D
 Signal(s) : FID2B.ch
 Acq On : 05 Mar 2019 01:08
 Operator : AJ\SJ
 Sample : 50 PPM TRPH STD
 Misc :
 ALS Vial : 53 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Mar 05 04:15:31 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF030119.M
 Quant Title :
 QLast Update : Mon Mar 04 08:35:38 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	14.594	5759411	41.367 ug/ml
Target Compounds			
2) N-DECANE	4.323	7387698	48.028 ug/ml
3) N-DODECANE	6.345	7393535	47.375 ug/ml
4) N-TETRADECANE	8.137	7386097	46.067 ug/ml
5) N-HEXADECANE	9.738	7311766	44.893 ug/ml
6) N-OCTADECANE	11.180	7194301	43.667 ug/ml
7) N-EICOSANE	12.492	6974601	42.634 ug/ml
8) N-DOCOSANE	13.693	6741223	41.770 ug/ml
10) N-TETRACOSANE	14.798	6508029	41.133 ug/ml
11) N-HEXACOSANE	15.822	6298077	40.806 ug/ml
12) N-OCTACOSANE	16.775	6143135	40.652 ug/ml


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF030419\
Data File : FF003709.D
Signal(s) : FID2B.ch
Acq On : 05 Mar 2019 01:08
Operator : AJ\SJ
Sample : 50 PPM TRPH STD
Misc :
ALS Vial : 53 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Mar 05 04:15:31 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF030119.M
Quant Title :
QLast Update : Mon Mar 04 08:35:38 2019
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#2 N-DECANE

R.T.: 4.323 min
Delta R.T.: 0.003 min
Response: 7387698
Conc: 48.03 ug/ml




#3 N-DODECANE

R.T.: 6.345 min
Delta R.T.: 0.000 min
Response: 7393535
Conc: 47.38 ug/ml




#4 N-TETRADECANE

R.T.: 8.137 min
Delta R.T.: -0.001 min
Response: 7386097
Conc: 46.07 ug/ml




#5 N-HEXADECANE

R.T.: 9.738 min
Delta R.T.: -0.003 min
Response: 7311766
Conc: 44.89 ug/ml




#6 N-OCTADECANE

R.T.: 11.180 min
Delta R.T.: -0.004 min
Response: 7194301
Conc: 43.67 ug/ml




#7 N-EICOSANE

R.T.: 12.492 min
Delta R.T.: -0.004 min
Response: 6974601
Conc: 42.63 ug/ml




#8 N-DOCOSANE

R.T.: 13.693 min
Delta R.T.: -0.004 min
Response: 6741223
Conc: 41.77 ug/ml




#9 TETRACOSANE-d50 (SURROGATE)

R.T.: 14.594 min
Delta R.T.: -0.005 min
Response: 5759411
Conc: 41.37 ug/ml




#10 N-TETRACOSANE

R.T.: 14.798 min
Delta R.T.: -0.004 min
Response: 6508029
Conc: 41.13 ug/ml



#11 N-HEXACOSANE

R.T.: 15.822 min
Delta R.T.: -0.005 min
Response: 6298077
Conc: 40.81 ug/ml



#12 N-OCTACOSANE

R.T.: 16.775 min
Delta R.T.: -0.005 min
Response: 6143135
Conc: 40.65 ug/ml