

rteres

# Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_F\Data\FF030521\  
 Data File : FF008166.D  
 Signal(s) : FID2B.ch  
 Acq On : 05 Mar 2021 11:26  
 Sample : M1458-07  
 Misc : LOD-WATER- 2.5 PPM  
 ALS Vial : 57 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_F\Method\FF030421.M  
 Title :

Signal : FID2B.ch

| peak<br>#               | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-------------------------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1                       | 4.397       | 4.373        | 4.470      | M        | 25262          | 254283       | 10.32%         | 4.402%        |
| 2                       | 6.418       | 6.382        | 6.491      | M        | 24887          | 268262       | 10.89%         | 4.644%        |
| 3                       | 8.213       | 8.183        | 8.275      | M        | 26234          | 300013       | 12.18%         | 5.193%        |
| 4                       | 9.814       | 9.789        | 9.857      | BB       | 26578          | 313324       | 12.72%         | 5.424%        |
| 5                       | 11.256      | 11.225       | 11.300     | BB       | 28664          | 342659       | 13.91%         | 5.931%        |
| 6                       | 12.566      | 12.539       | 12.607     | BB       | 30281          | 362757       | 14.72%         | 6.279%        |
| 7                       | 13.767      | 13.737       | 13.806     | BB       | 30287          | 368878       | 14.97%         | 6.385%        |
| 8                       | 14.668      | 14.626       | 14.722     | BB       | 180305         | 2463849      | 100.00%        | 42.649%       |
| 9                       | 14.871      | 14.838       | 14.915     | BB       | 28920          | 370869       | 15.05%         | 6.420%        |
| 10                      | 15.893      | 15.855       | 15.938     | BB       | 27392          | 365202       | 14.82%         | 6.322%        |
| 11                      | 16.845      | 16.812       | 16.878     | BB       | 27296          | 366882       | 14.89%         | 6.351%        |
| Sum of corrected areas: |             |              |            |          |                | 5776977      |                |               |

FF030421.M Mon Mar 08 10:28:45 2021

Instrument :  
 FID\_F  
 ClientSampleId :  
 LOD-MDL-WATER-01-QT1-2021

Manual Integrations  
 APPROVED

Ankita  
 3/8/2021 11:20:42 AM