

rteres

Area Percent Report

Instrument :
FID_F
ClientSampleId :
LOD-MDL-WATER-01-QT1-2021

Manual Integrations
APPROVED

Ankita
3/8/2021 11:20:50 AM

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF030521\
Data File : FF008172.D
Signal(s) : FID2B.ch
Acq On : 05 Mar 2021 14:35
Sample : M1458-07
Misc : LOD-WATER-1 PPM
ALS Vial : 63 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF030421.M
Title :

Signal : FID2B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.397	4.374	4.443	M	8078	88162	3.36%	2.241%
2	6.418	6.393	6.465	M	7846	93553	3.56%	2.378%
3	8.214	8.183	8.262	M	8364	105161	4.01%	2.673%
4	9.815	9.793	9.868	M	9194	118524	4.52%	3.013%
5	11.256	11.226	11.301	M	10587	135708	5.17%	3.450%
6	12.568	12.539	12.620	M	11973	153472	5.85%	3.901%
7	13.768	13.733	13.803	BB	11786	149636	5.70%	3.804%
8	14.669	14.628	14.719	BB	197633	2625053	100.00%	66.726%
9	14.872	14.833	14.909	BB	11434	153131	5.83%	3.892%
10	15.895	15.864	15.927	BB	10894	149977	5.71%	3.812%
11	16.845	16.814	16.882	BB	11476	161679	6.16%	4.110%
Sum of corrected areas:						3934056		

FF030421.M Mon Mar 08 10:44:58 2021