

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF031319\
 Data File : FF003821.D
 Signal(s) : FID2B.ch
 Acq On : 13 Mar 2019 17:49
 Operator : AJ\SJ
 Sample : K1866-01MSD
 Misc :
 ALS Vial : 57 Sample Multiplier: 1

Instrument :
 FID_F
 ClientSampleId :
 MR-MH-04-COMPMSD

Integration File: autoint1.e
 Quant Time: Mar 14 01:04:33 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF030119.M
 Quant Title :
 QLast Update : Mon Mar 04 08:35:38 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	14.589	1682463	12.084 ug/ml
Target Compounds			
2) N-DECANE	4.318	2315406	15.053 ug/ml
3) N-DODECANE	6.338	2350592	15.062 ug/ml
4) N-TETRADECANE	8.131	2347671	14.642 ug/ml
5) N-HEXADECANE	9.732	2311766	14.194 ug/ml
6) N-OCTADECANE	11.174	2266165	13.755 ug/ml
7) N-EICOSANE	12.487	2182476	13.341 ug/ml
8) N-DOCOSANE	13.687	2163940	13.408 ug/ml
10) N-TETRACOSANE	14.792	2215082	14.000 ug/ml
11) N-HEXACOSANE	15.817	2242043	14.526 ug/ml
12) N-OCTACOSANE	16.769	2505883	16.583 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF031319\
Data File : FF03821.D
Signal(s) : FID2B.ch
Acq On : 13 Mar 2019 17:49
Operator : AJ\SJ
Sample : K1866-01MSD
Misc :
ALS Vial : 57 Sample Multiplier: 1

Instrument :
FID_F
ClientSampleId :
MR-MH-04-COMPMSD

Integration File: autoint1.e
Quant Time: Mar 14 01:04:33 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF030119.M
Quant Title :
QLast Update : Mon Mar 04 08:35:38 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#2 N-DECANE


R.T.: 4.318 min
Delta R.T.: -0.003 min
Response: 2315406
Conc: 15.05 ug/ml

Instrument :
FID_F
ClientSampleId :
MR-MH-04-COMPMSD




#3 N-DODECANE

R.T.: 6.338 min
Delta R.T.: -0.006 min
Response: 2350592
Conc: 15.06 ug/ml




#4 N-TETRADECANE

R.T.: 8.131 min
Delta R.T.: -0.007 min
Response: 2347671
Conc: 14.64 ug/ml



#5 N-HEXADECANE


R.T.: 9.732 min
Delta R.T.: -0.009 min
Response: 2311766
Conc: 14.19 ug/ml



#6 N-OCTADECANE


R.T.: 11.174 min
Delta R.T.: -0.010 min
Response: 2266165
Conc: 13.75 ug/ml

Instrument :
FID_F
ClientSampleId :
MR-MH-04-COMPMSD




#7 N-EICOSANE

R.T.: 12.487 min
Delta R.T.: -0.009 min
Response: 2182476
Conc: 13.34 ug/ml




#8 N-DOCOSANE

R.T.: 13.687 min
Delta R.T.: -0.010 min
Response: 2163940
Conc: 13.41 ug/ml



#9 TETRACOSANE-d50 (SURROGATE)


R.T.: 14.589 min
Delta R.T.: -0.009 min
Response: 1682463
Conc: 12.08 ug/ml



#10 N-TETRACOSANE


R.T.: 14.792 min
Delta R.T.: -0.010 min
Response: 2215082
Conc: 14.00 ug/ml

Instrument :
FID_F
ClientSampleId :
MR-MH-04-COMPMSD



#11 N-HEXACOSANE

R.T.: 15.817 min
Delta R.T.: -0.010 min
Response: 2242043
Conc: 14.53 ug/ml



#12 N-OCTACOSANE

R.T.: 16.769 min
Delta R.T.: -0.010 min
Response: 2505883
Conc: 16.58 ug/ml