

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF031920\
 Data File : FF006620.D
 Signal(s) : FID2B.ch
 Acq On : 19 Mar 2020 16:13
 Operator : DD\AJ
 Sample : L1978-06MS
 Misc :
 ALS Vial : 63 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Mar 20 01:39:03 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF031020.M
 Quant Title :
 QLast Update : Tue Mar 10 14:59:43 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	14.595	2209121	17.165 ug/ml
Target Compounds			
2) N-DECANE	4.361	2958302	21.492 ug/ml
3) N-DODECANE	6.376	2992295	21.216 ug/ml
4) N-TETRADECANE	8.167	2946983	20.606 ug/ml
5) N-HEXADECANE	9.763	2947146	20.105 ug/ml
6) N-OCTADECANE	11.201	3034325	20.535 ug/ml
7) N-EICOSANE	12.506	2924519	19.677 ug/ml
8) N-DOCOSANE	13.699	2916341	19.636 ug/ml
10) N-TETRACOSANE	14.798	3024596	20.465 ug/ml
11) N-HEXACOSANE	15.816	2995408	20.670 ug/ml
12) N-OCTACOSANE	16.762	3448724	24.079 ug/ml


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF031920\
Data File : FF006620.D
Signal(s) : FID2B.ch
Acq On : 19 Mar 2020 16:13
Operator : DD\AJ
Sample : L1978-06MS
Misc :
ALS Vial : 63 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Mar 20 01:39:03 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF031020.M
Quant Title :
QLast Update : Tue Mar 10 14:59:43 2020
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#2 N-DECANE

R.T.: 4.361 min
Delta R.T.: 0.000 min
Response: 2958302
Conc: 21.49 ug/ml




#3 N-DODECANE

R.T.: 6.376 min
Delta R.T.: 0.000 min
Response: 2992295
Conc: 21.22 ug/ml




#4 N-TETRADECANE

R.T.: 8.167 min
Delta R.T.: 0.002 min
Response: 2946983
Conc: 20.61 ug/ml




#5 N-HEXADECANE

R.T.: 9.763 min
Delta R.T.: 0.003 min
Response: 2947146
Conc: 20.11 ug/ml




#6 N-OCTADECANE

R.T.: 11.201 min
Delta R.T.: 0.005 min
Response: 3034325
Conc: 20.53 ug/ml




#7 N-EICOSANE

R.T.: 12.506 min
Delta R.T.: 0.004 min
Response: 2924519
Conc: 19.68 ug/ml




#8 N-DOCOSANE

R.T.: 13.699 min
Delta R.T.: 0.004 min
Response: 2916341
Conc: 19.64 ug/ml




#9 TETRACOSANE-d50 (SURROGATE)

R.T.: 14.595 min
Delta R.T.: 0.005 min
Response: 2209121
Conc: 17.16 ug/ml




#10 N-TETRACOSANE

R.T.: 14.798 min
Delta R.T.: 0.004 min
Response: 3024596
Conc: 20.46 ug/ml



#11 N-HEXACOSANE

R.T.: 15.816 min
Delta R.T.: 0.006 min
Response: 2995408
Conc: 20.67 ug/ml



#12 N-OCTACOSANE

R.T.: 16.762 min
Delta R.T.: 0.008 min
Response: 3448724
Conc: 24.08 ug/ml