

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF032619\
 Data File : FF003989.D
 Signal(s) : FID2B.ch
 Acq On : 26 Mar 2019 17:49
 Operator : AJ\SJ
 Sample : K2061-02MSD
 Misc :
 ALS Vial : 64 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Mar 27 01:01:15 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF030119.M
 Quant Title :
 QLast Update : Mon Mar 04 08:35:38 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound		R.T.	Response	Conc Units

System Monitoring Compounds				
9) S	TETRACOSANE-d50 (SURR...	14.573	1949379	14.001 ug/ml
Target Compounds				
2)	N-DECANE	4.306	1982567	12.889 ug/ml
3)	N-DODECANE	6.326	2156694	13.819 ug/ml
4)	N-TETRADECANE	8.117	2223686	13.869 ug/ml
5)	N-HEXADECANE	9.718	2201841	13.519 ug/ml
6)	N-OCTADECANE	11.160	2204903	13.383 ug/ml
7)	N-EICOSANE	12.472	2133476	13.041 ug/ml
8)	N-DOCOSANE	13.671	2131668	13.208 ug/ml
10)	N-TETRACOSANE	14.778	2133866	13.487 ug/mlm
11)	N-HEXACOSANE	15.801	2523912	16.353 ug/ml
12)	N-OCTACOSANE	16.753	3250062	21.507 ug/mlm


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF032619\
Data File : FF003989.D
Signal(s) : FID2B.ch
Acq On : 26 Mar 2019 17:49
Operator : AJ\SJ
Sample : K2061-02MSD
Misc :
ALS Vial : 64 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Mar 27 01:01:15 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF030119.M
Quant Title :
QLast Update : Mon Mar 04 08:35:38 2019
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#2 N-DECANE

R.T.: 4.306 min
Delta R.T.: -0.014 min
Response: 1982567
Conc: 12.89 ug/ml




#3 N-DODECANE

R.T.: 6.326 min
Delta R.T.: -0.019 min
Response: 2156694
Conc: 13.82 ug/ml




#4 N-TETRADECANE

R.T.: 8.117 min
Delta R.T.: -0.021 min
Response: 2223686
Conc: 13.87 ug/ml




#5 N-HEXADECANE

R.T.: 9.718 min
Delta R.T.: -0.022 min
Response: 2201841
Conc: 13.52 ug/ml




#6 N-OCTADECANE

R.T.: 11.160 min
Delta R.T.: -0.023 min
Response: 2204903
Conc: 13.38 ug/ml




#7 N-EICOSANE

R.T.: 12.472 min
Delta R.T.: -0.025 min
Response: 2133476
Conc: 13.04 ug/ml




#8 N-DOCOSANE

R.T.: 13.671 min
Delta R.T.: -0.025 min
Response: 2131668
Conc: 13.21 ug/ml




#9 TETRACOSANE-d50 (SURROGATE)

R.T.: 14.573 min
Delta R.T.: -0.025 min
Response: 1949379
Conc: 14.00 ug/ml




#10 N-TETRACOSANE

R.T.: 14.778 min
Delta R.T.: -0.025 min
Response: 2133866
Conc: 13.49 ug/ml m



#11 N-HEXACOSANE

R.T.: 15.801 min
Delta R.T.: -0.026 min
Response: 2523912
Conc: 16.35 ug/ml



#12 N-OCTACOSANE

R.T.: 16.753 min
Delta R.T.: -0.026 min
Response: 3250062
Conc: 21.51 ug/ml m