

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF032720\
 Data File : FF006709.D
 Signal(s) : FID2B.ch
 Acq On : 27 Mar 2020 22:22
 Operator : DD\AJ
 Sample : 50 PPM TRPH STD
 Misc :
 ALS Vial : 53 Sample Multiplier: 1

Instrument :
 FID_F
 ClientSampleId :

Integration File: autoint1.e
 Quant Time: Mar 28 00:47:10 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF031020.M
 Quant Title :
 QLast Update : Tue Mar 10 14:59:43 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	14.585	5729946	44.521 ug/ml
Target Compounds			
1) N-OCTANE	2.264	6771411	49.735 ug/ml
2) N-DECANE	4.354	7126066	51.770 ug/ml
3) N-DODECANE	6.369	7239489	51.329 ug/ml
4) N-TETRADECANE	8.160	7178727	50.195 ug/ml
5) N-HEXADECANE	9.755	7188997	49.043 ug/ml
6) N-OCTADECANE	11.192	7063946	47.805 ug/ml
7) N-EICOSANE	12.497	6899188	46.419 ug/ml
8) N-DOCOSANE	13.690	6702945	45.132 ug/ml
10) N-TETRACOSANE	14.789	6526407	44.159 ug/ml
11) N-HEXACOSANE	15.805	6326372	43.655 ug/ml
12) N-OCTACOSANE	16.751	6287741	43.901 ug/ml
13) N-TRIACONTANE	17.634	6339062	44.788 ug/ml
14) N-DOTRIACONTANE	18.460	6059538	44.954 ug/ml
15) N-TETRATRIACONTANE	19.241	5395202	47.779 ug/ml
16) N-HEXATRIACONTANE	19.975	4848432	52.791 ug/ml
17) N-OCTATRIACONTANE	20.693	3826177	55.413 ug/ml
18) N-TETRACONTANE	21.561	3186132	46.042 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF032720\
Data File : FF006709.D
Signal(s) : FID2B.ch
Acq On : 27 Mar 2020 22:22
Operator : DD\AJ
Sample : 50 PPM TRPH STD
Misc :
ALS Vial : 53 Sample Multiplier: 1

Instrument :
FID_F
ClientSampled :

Integration File: autoint1.e
Quant Time: Mar 28 00:47:10 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF031020.M
Quant Title :
QLast Update : Tue Mar 10 14:59:43 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#1 N-OCTANE


R.T.: 2.264 min
Delta R.T.: -0.012 min
Response: 6771411
Conc: 49.73 ug/ml

Instrument :
FID_F
ClientSampleId :




#2 N-DECANE

R.T.: 4.354 min
Delta R.T.: -0.009 min
Response: 7126066
Conc: 51.77 ug/ml




#3 N-DODECANE

R.T.: 6.369 min
Delta R.T.: -0.007 min
Response: 7239489
Conc: 51.33 ug/ml



#4 N-TETRADECANE


R.T.: 8.160 min
Delta R.T.: -0.006 min
Response: 7178727
Conc: 50.20 ug/ml



#5 N-HEXADECANE


R.T.: 9.755 min
Delta R.T.: -0.005 min
Response: 7188997
Conc: 49.04 ug/ml

Instrument :
FID_F
ClientSampleId :




#6 N-OCTADECANE

R.T.: 11.192 min
Delta R.T.: -0.004 min
Response: 7063946
Conc: 47.81 ug/ml




#7 N-EICOSANE

R.T.: 12.497 min
Delta R.T.: -0.005 min
Response: 6899188
Conc: 46.42 ug/ml



#8 N-DOCOSANE


R.T.: 13.690 min
Delta R.T.: -0.005 min
Response: 6702945
Conc: 45.13 ug/ml



#9 TETRACOSANE-d50 (SURROGATE)


R.T.: 14.585 min
Delta R.T.: -0.005 min
Response: 5729946
Conc: 44.52 ug/ml

Instrument :
FID_F
ClientSampleId :




#10 N-TETRACOSANE

R.T.: 14.789 min
Delta R.T.: -0.004 min
Response: 6526407
Conc: 44.16 ug/ml




#11 N-HEXACOSANE

R.T.: 15.805 min
Delta R.T.: -0.004 min
Response: 6326372
Conc: 43.66 ug/ml



#12 N-OCTACOSANE


R.T.: 16.751 min
Delta R.T.: -0.004 min
Response: 6287741
Conc: 43.90 ug/ml



#13 N-TRIACONTANE


R.T.: 17.634 min
Delta R.T.: -0.002 min
Response: 6339062
Conc: 44.79 ug/ml

Instrument :
FID_F
ClientSampleId :




#14 N-DOTRIACONTANE

R.T.: 18.460 min
Delta R.T.: -0.004 min
Response: 6059538
Conc: 44.95 ug/ml




#15 N-TETRATRIACONTANE

R.T.: 19.241 min
Delta R.T.: -0.004 min
Response: 5395202
Conc: 47.78 ug/ml



#16 N-HEXATRIACONTANE


R.T.: 19.975 min
Delta R.T.: -0.003 min
Response: 4848432
Conc: 52.79 ug/ml



#17 N-OCTATRIACONTANE

R.T.: 20.693 min
Delta R.T.: -0.004 min
Response: 3826177
Conc: 55.41 ug/ml

Instrument :
FID_F
ClientSampleId :



#18 N-TETRACONTANE

R.T.: 21.561 min
Delta R.T.: -0.003 min
Response: 3186132
Conc: 46.04 ug/ml