

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF032723\
Data File : FF012358.D
Signal(s) : FID2B.ch
Acq On : 27 Mar 2023 10:03
Sample : 50 PPM TRPH STD
Misc :
ALS Vial : 53 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF031623.M
Title :

Signal : FID2B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.592	4.558	4.663	BB	650796	6587214	95.77%	9.277%
2	6.754	6.719	6.843	BB	649733	6683331	97.17%	9.412%
3	8.580	8.545	8.674	BB	621367	6730395	97.86%	9.478%
4	10.185	10.146	10.263	BB	631477	6877858	100.00%	9.686%
5	11.626	11.576	11.691	BB	597733	6865686	99.82%	9.669%
6	12.934	12.893	13.003	BB	578434	6774400	98.50%	9.540%
7	14.131	14.081	14.190	BB	526601	6450485	93.79%	9.084%
8	15.027	14.978	15.057	BV	407982	5660382	82.30%	7.971%
9	15.233	15.184	15.288	BB	502355	6334856	92.11%	8.921%
10	16.251	16.199	16.308	BB	485535	6096450	88.64%	8.586%
11	17.201	17.123	17.268	BB	437367	5947622	86.47%	8.376%
Sum of corrected areas:						71008680		

FF031623.M Tue Mar 28 02:49:48 2023