

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF041019\
 Data File : FF004181.D
 Signal(s) : FID2B.ch
 Acq On : 10 Apr 2019 17:19
 Operator : AJ\SJ
 Sample : IDOC-3
 Misc : IDOC-DRO-3-FOR SS
 ALS Vial : 60 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Apr 11 02:14:33 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF040219.M
 Quant Title :
 QLast Update : Tue Apr 02 13:45:53 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	14.538	1286366	9.895 ug/ml
Target Compounds			
2) N-DECANE	4.287	1459064	10.781 ug/ml
3) N-DODECANE	6.305	1497909	10.677 ug/ml
4) N-TETRADECANE	8.095	1482446	10.426 ug/ml
5) N-HEXADECANE	9.693	1516937	10.249 ug/ml
6) N-OCTADECANE	11.132	1519748	10.091 ug/ml
7) N-EICOSANE	12.441	1493837	9.940 ug/ml
8) N-DOCOSANE	13.637	1491180	9.962 ug/ml
10) N-TETRACOSANE	14.741	1795200	12.188 ug/mlm
11) N-HEXACOSANE	15.762	1547828	10.662 ug/ml
12) N-OCTACOSANE	16.712	1623764	11.293 ug/ml


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF041019\
Data File : FF04181.D
Signal(s) : FID2B.ch
Acq On : 10 Apr 2019 17:19
Operator : AJ\SJ
Sample : IDOC-3
Misc : IDOC-DRO-3-FOR SS
ALS Vial : 60 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Apr 11 02:14:33 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF040219.M
Quant Title :
QLast Update : Tue Apr 02 13:45:53 2019
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#2 N-DECANE

R.T.: 4.287 min
Delta R.T.: -0.006 min
Response: 1459064
Conc: 10.78 ug/ml




#3 N-DODECANE

R.T.: 6.305 min
Delta R.T.: -0.008 min
Response: 1497909
Conc: 10.68 ug/ml




#4 N-TETRADECANE

R.T.: 8.095 min
Delta R.T.: -0.011 min
Response: 1482446
Conc: 10.43 ug/ml




#5 N-HEXADECANE

R.T.: 9.693 min
Delta R.T.: -0.011 min
Response: 1516937
Conc: 10.25 ug/ml




#6 N-OCTADECANE

R.T.: 11.132 min
Delta R.T.: -0.014 min
Response: 1519748
Conc: 10.09 ug/ml




#7 N-EICOSANE

R.T.: 12.441 min
Delta R.T.: -0.015 min
Response: 1493837
Conc: 9.94 ug/ml




#8 N-DOCOSANE

R.T.: 13.637 min
Delta R.T.: -0.016 min
Response: 1491180
Conc: 9.96 ug/ml




#9 TETRACOSANE-d50 (SURROGATE)

R.T.: 14.538 min
Delta R.T.: -0.016 min
Response: 1286366
Conc: 9.90 ug/ml




#10 N-TETRACOSANE

R.T.: 14.741 min
Delta R.T.: -0.017 min
Response: 1795200
Conc: 12.19 ug/ml m



#11 N-HEXACOSANE

R.T.: 15.762 min
Delta R.T.: -0.016 min
Response: 1547828
Conc: 10.66 ug/ml



#12 N-OCTACOSANE

R.T.: 16.712 min
Delta R.T.: -0.018 min
Response: 1623764
Conc: 11.29 ug/ml