

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF041119\
 Data File : FF004190.D
 Signal(s) : FID2B.ch
 Acq On : 11 Apr 2019 12:18
 Operator : AJ\SJ
 Sample : K1560-09
 Misc : MDL-WATER (1 PPM)
 ALS Vial : 56 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Apr 12 06:05:31 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF040219.M
 Quant Title :
 QLast Update : Tue Apr 02 13:45:53 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	14.535	1758404	13.526 ug/ml
Target Compounds			
2) N-DECANE	4.288	79069	0.584 ug/ml
3) N-DODECANE	6.313	72763	0.519 ug/mlm
4) N-TETRADECANE	8.117	82050	0.577 ug/mlm
5) N-HEXADECANE	9.701	108838	0.735 ug/mlm
6) N-OCTADECANE	11.135	107374	0.713 ug/mlm
7) N-EICOSANE	12.440	108635	0.723 ug/ml
8) N-DOCOSANE	13.636	115173	0.769 ug/ml
10) N-TETRACOSANE	14.739	115311	0.783 ug/ml
11) N-HEXACOSANE	15.762	114558	0.789 ug/ml
12) N-OCTACOSANE	16.712	122243	0.850 ug/ml


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF041119\
Data File : FF04190.D
Signal(s) : FID2B.ch
Acq On : 11 Apr 2019 12:18
Operator : AJ\SJ
Sample : K1560-09
Misc : MDL-WATER (1 PPM)
ALS Vial : 56 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Apr 12 06:05:31 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF040219.M
Quant Title :
QLast Update : Tue Apr 02 13:45:53 2019
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#2 N-DECANE

R.T.: 4.288 min
Delta R.T.: -0.006 min
Response: 79069
Conc: 0.58 ug/ml




#3 N-DODECANE

R.T.: 6.313 min
Delta R.T.: 0.000 min
Response: 72763
Conc: 0.52 ug/ml m




#4 N-TETRADECANE

R.T.: 8.117 min
Delta R.T.: 0.011 min
Response: 82050
Conc: 0.58 ug/ml m




#5 N-HEXADECANE

R.T.: 9.701 min
Delta R.T.: -0.003 min
Response: 108838
Conc: 0.74 ug/ml m




#6 N-OCTADECANE

R.T.: 11.135 min
Delta R.T.: -0.012 min
Response: 107374
Conc: 0.71 ug/ml m




#7 N-EICOSANE

R.T.: 12.440 min
Delta R.T.: -0.015 min
Response: 108635
Conc: 0.72 ug/ml




#8 N-DOCOSANE

R.T.: 13.636 min
Delta R.T.: -0.017 min
Response: 115173
Conc: 0.77 ug/ml




#9 TETRACOSANE-d50 (SURROGATE)

R.T.: 14.535 min
Delta R.T.: -0.018 min
Response: 1758404
Conc: 13.53 ug/ml




#10 N-TETRACOSANE

R.T.: 14.739 min
Delta R.T.: -0.018 min
Response: 115311
Conc: 0.78 ug/ml



#11 N-HEXACOSANE

R.T.: 15.762 min
Delta R.T.: -0.016 min
Response: 114558
Conc: 0.79 ug/ml



#12 N-OCTACOSANE

R.T.: 16.712 min
Delta R.T.: -0.018 min
Response: 122243
Conc: 0.85 ug/ml