

rteres.txt

Instrument :
FID_F
ClientSampleId :
LOD-MDL-WATER-01-QT2-2023
Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF04112
Data File : FF012446.D
Signal(s) : FID2B.ch
Acq On : 11 Apr 2023 09:48
Sample : 02213-07
Misc : 4 PPM WATER LOD
ALS Vial : 61 Sample Multiplier: 1

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 04/12/2023
Supervised By :Ankita Jodhani 04/12/2023

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF031623.M
Title :

Signal : FID2B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.576	4.547	4.630	BB	28448	309661	15.41%	6.117%
2	6.741	6.710	6.810	BB	14067	216753	10.79%	4.282%
3	8.579	8.542	8.662	BB	10598	232910	11.59%	4.601%
4	10.179	10.146	10.265	BB	16994	317570	15.80%	6.273%
5	11.615	11.584	11.684	BB	22025	328270	16.34%	6.484%
6	12.921	12.886	12.985	BB	24064	336666	16.75%	6.650%
7	14.115	14.085	14.171	BB	24499	325773	16.21%	6.435%
8	15.012	14.974	15.056	BV	135726	2009385	100.00%	39.692%
9	15.218	15.174	15.283	BB	21020	332695	16.56%	6.572%
10	16.240	16.207	16.299	BB	20400	317982	15.82%	6.281%
11	17.188	17.143	17.248	BB	21737	334750	16.66%	6.612%
Sum of corrected areas:						5062414		

FF031623.M Wed Apr 12 03:23:45 2023