

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF050619\
 Data File : FF004468.D
 Signal(s) : FID2B.ch
 Acq On : 06 May 2019 15:16
 Operator : AJ\SJ
 Sample : 50 PPM TRPH STD
 Misc :
 ALS Vial : 53 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: May 07 01:33:04 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF050219.M
 Quant Title :
 QLast Update : Fri May 03 03:23:38 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	14.515	5814556	46.472 ug/ml
Target Compounds			
2) N-DECANE	4.270	6540510	54.463 ug/ml
3) N-DODECANE	6.285	6722442	53.474 ug/ml
4) N-TETRADECANE	8.073	6706462	53.117 ug/ml
5) N-HEXADECANE	9.671	6802769	50.963 ug/ml
6) N-OCTADECANE	11.110	6752871	49.428 ug/ml
7) N-EICOSANE	12.419	6769489	48.059 ug/ml
8) N-DOCOSANE	13.616	6654090	46.903 ug/ml
10) N-TETRACOSANE	14.719	6570324	46.086 ug/ml
11) N-HEXACOSANE	15.741	6431295	45.498 ug/ml
12) N-OCTACOSANE	16.691	6336839	45.191 ug/ml


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF050619\
Data File : FF004468.D
Signal(s) : FID2B.ch
Acq On : 06 May 2019 15:16
Operator : AJ\SJ
Sample : 50 PPM TRPH STD
Misc :
ALS Vial : 53 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: May 07 01:33:04 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF050219.M
Quant Title :
QLast Update : Fri May 03 03:23:38 2019
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#2 N-DECANE

R.T.: 4.270 min
Delta R.T.: 0.000 min
Response: 6540510
Conc: 54.46 ug/ml




#3 N-DODECANE

R.T.: 6.285 min
Delta R.T.: 0.000 min
Response: 6722442
Conc: 53.47 ug/ml




#4 N-TETRADECANE

R.T.: 8.073 min
Delta R.T.: 0.000 min
Response: 6706462
Conc: 53.12 ug/ml




#5 N-HEXADECANE

R.T.: 9.671 min
Delta R.T.: 0.002 min
Response: 6802769
Conc: 50.96 ug/ml




#6 N-OCTADECANE

R.T.: 11.110 min
Delta R.T.: 0.001 min
Response: 6752871
Conc: 49.43 ug/ml




#7 N-EICOSANE

R.T.: 12.419 min
Delta R.T.: 0.003 min
Response: 6769489
Conc: 48.06 ug/ml




#8 N-DOCOSANE

R.T.: 13.616 min
Delta R.T.: 0.003 min
Response: 6654090
Conc: 46.90 ug/ml




#9 TETRACOSANE-d50 (SURROGATE)

R.T.: 14.515 min
Delta R.T.: 0.002 min
Response: 5814556
Conc: 46.47 ug/ml




#10 N-TETRACOSANE

R.T.: 14.719 min
Delta R.T.: 0.003 min
Response: 6570324
Conc: 46.09 ug/ml



#11 N-HEXACOSANE

R.T.: 15.741 min
Delta R.T.: 0.004 min
Response: 6431295
Conc: 45.50 ug/ml



#12 N-OCTACOSANE

R.T.: 16.691 min
Delta R.T.: 0.004 min
Response: 6336839
Conc: 45.19 ug/ml