

Instrument :
FID_F
ClientSampleId :
LOD-MDL-WATER-04-QT2-2024

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 05/09/2024
Supervised By :Ankita Jodhani 05/09/2024

rteres

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF
Data File : FF014142.D
Signal(s) : FID2B.ch
Acq On : 09 May 2024 00:28
Sample : P2403-10
Misc : 1 PPM WATER LOD
ALS Vial : 17 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF041124.M
Title :

Signal : FID2B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	1.982	1.953	2.026	BB	10101	113811	4.94%	2.653%
2	4.498	4.474	4.535	BB	4509	54635	2.37%	1.274%
3	6.677	6.650	6.734	M	543	11823	0.51%	0.276%
4	8.565	8.506	8.712	M	1181	75154	3.26%	1.752%
5	10.141	10.093	10.278	M	1724	86275	3.75%	2.011%
6	11.559	11.519	11.709	M	2612	108936	4.73%	2.540%
7	12.859	12.824	12.916	BB	3598	81811	3.55%	1.907%
8	14.047	14.006	14.119	BB	7140	137900	5.99%	3.215%
9	14.942	14.895	15.065	BB	142666	2303130	100.00%	53.697%
10	15.150	15.116	15.209	BB	7414	136257	5.92%	3.177%
11	16.188	16.143	16.255	BB	5035	119732	5.20%	2.792%
12	17.139	17.101	17.205	BB	5876	131491	5.71%	3.066%
13	18.023	17.989	18.091	BB	6490	141578	6.15%	3.301%
14	18.855	18.807	18.924	BB	7258	159566	6.93%	3.720%
15	19.638	19.584	19.721	BB	7758	168739	7.33%	3.934%
16	20.378	20.319	20.466	BB	7923	180924	7.86%	4.218%
17	21.113	21.054	21.214	BB	5657	170689	7.41%	3.980%
18	22.020	21.969	22.133	M	2466	106645	4.63%	2.486%
Sum of corrected areas:							4289095	

FF041124.M Thu May 09 06:01:16 2024