

Instrument :
FID_F
ClientSampleId :
LOD-MDL-WATER-04-QT2-2024

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 05/09/2024
Supervised By :Ankita Jodhani 05/09/2024

rteres

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF
Data File : FF014143.D
Signal(s) : FID2B.ch
Acq On : 09 May 2024 00:57
Sample : P2403-10
Misc : 2.5 PPM WATER LOD
ALS Vial : 18 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF041124.M
Title :

Signal : FID2B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	1.981	1.947	2.035	BB	21487	233961	12.20%	3.942%
2	4.495	4.461	4.544	BB	13871	162104	8.45%	2.731%
3	6.661	6.631	6.705	BB	6528	86883	4.53%	1.464%
4	8.505	8.475	8.680	M	3860	185473	9.67%	3.125%
5	10.104	10.075	10.178	BB	6066	142850	7.45%	2.407%
6	11.542	11.510	11.628	BB	8892	196991	10.27%	3.319%
7	12.849	12.808	12.929	BB	10772	217389	11.34%	3.663%
8	14.046	14.014	14.130	BB	13526	260681	13.59%	4.392%
9	14.941	14.904	15.037	BB	125271	1917746	100.00%	32.311%
10	15.149	15.112	15.234	BB	15323	273619	14.27%	4.610%
11	16.175	16.138	16.261	BB	12848	256996	13.40%	4.330%
12	17.126	17.087	17.207	BB	13156	256787	13.39%	4.326%
13	18.013	17.973	18.092	BB	14188	271344	14.15%	4.572%
14	18.844	18.797	18.924	BB	15718	287708	15.00%	4.847%
15	19.628	19.583	19.701	BB	16717	304623	15.88%	5.132%
16	20.370	20.317	20.472	BB	17566	346800	18.08%	5.843%
17	21.101	21.034	21.206	BB	13223	334898	17.46%	5.643%
18	22.009	21.926	22.100	BBA	5040	198365	10.34%	3.342%
Sum of corrected areas:							5935217	

FF041124.M Thu May 09 06:01:55 2024