

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF051021\
 Data File : FF008377.D
 Signal(s) : FID2B.ch
 Acq On : 10 May 2021 13:07
 Operator : DD\AJ
 Sample : M2262-04
 Misc : LOD-SOIL- 1 PPM
 ALS Vial : 56 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: May 11 02:00:04 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF050521.M
 Quant Title :
 QLast Update : Thu May 06 08:43:31 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound		R.T.	Response	Conc Units

System Monitoring Compounds				
9) S	TETRACOSANE-d50 (SURR...	14.780	3113205	24.935 ug/ml
Target Compounds				
1)	N-OCTANE	2.434	204569	1.543 ug/ml
2)	N-DECANE	4.532	254500	1.885 ug/ml
3)	N-DODECANE	6.545	262951	1.923 ug/ml
4)	N-TETRADECANE	8.333	271961	1.946 ug/ml
5)	N-HEXADECANE	9.928	280758	2.013 ug/ml
6)	N-OCTADECANE	11.366	281660	1.976 ug/ml
7)	N-EICOSANE	12.676	289597	2.039 ug/ml
8)	N-DOCOSANE	13.876	285774	2.008 ug/ml
10)	N-TETRACOSANE	14.980	281468	1.974 ug/ml
11)	N-HEXACOSANE	16.002	266090	1.887 ug/ml
12)	N-OCTACOSANE	16.948	261307	1.862 ug/ml
13)	N-TRIACONTANE	17.832	260246	1.878 ug/ml
14)	N-DOTRIACONTANE	18.661	271536	2.004 ug/ml
15)	N-TETRATRIACONTANE	19.441	217876	1.709 ug/ml
16)	N-HEXATRIACONTANE	20.176	206150	1.727 ug/ml
17)	N-OCTATRIACONTANE	20.926	207404	1.926 ug/ml
18)	N-TETRACONTANE	21.863	146481	1.288 ug/ml


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF051021\
Data File : FF008377.D
Signal(s) : FID2B.ch
Acq On : 10 May 2021 13:07
Operator : DD\AJ
Sample : M2262-04
Misc : LOD-SOIL- 1 PPM
ALS Vial : 56 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: May 11 02:00:04 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF050521.M
Quant Title :
QLast Update : Thu May 06 08:43:31 2021
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#1 N-OCTANE

R.T.: 2.434 min
Delta R.T.: 0.009 min
Response: 204569
Conc: 1.54 ug/ml




#2 N-DECANE

R.T.: 4.532 min
Delta R.T.: 0.002 min
Response: 254500
Conc: 1.89 ug/ml




#3 N-DODECANE

R.T.: 6.545 min
Delta R.T.: 0.000 min
Response: 262951
Conc: 1.92 ug/ml




#4 N-TETRADECANE

R.T.: 8.333 min
Delta R.T.: -0.001 min
Response: 271961
Conc: 1.95 ug/ml




#5 N-HEXADECANE

R.T.: 9.928 min
Delta R.T.: -0.001 min
Response: 280758
Conc: 2.01 ug/ml




#6 N-OCTADECANE

R.T.: 11.366 min
Delta R.T.: -0.001 min
Response: 281660
Conc: 1.98 ug/ml




#7 N-EICOSANE

R.T.: 12.676 min
Delta R.T.: -0.003 min
Response: 289597
Conc: 2.04 ug/ml




#8 N-DOCOSANE

R.T.: 13.876 min
Delta R.T.: -0.002 min
Response: 285774
Conc: 2.01 ug/ml




#9 TETRACOSANE-d50 (SURROGATE)

R.T.: 14.780 min
Delta R.T.: 0.003 min
Response: 3113205
Conc: 24.93 ug/ml




#10 N-TETRACOSANE

R.T.: 14.980 min
Delta R.T.: 0.000 min
Response: 281468
Conc: 1.97 ug/ml




#11 N-HEXACOSANE

R.T.: 16.002 min
Delta R.T.: 0.000 min
Response: 266090
Conc: 1.89 ug/ml




#12 N-OCTACOSANE

R.T.: 16.948 min
Delta R.T.: 0.000 min
Response: 261307
Conc: 1.86 ug/ml




#13 N-TRIACONTANE

R.T.: 17.832 min
Delta R.T.: 0.000 min
Response: 260246
Conc: 1.88 ug/ml




#14 N-DOTRIACONTANE

R.T.: 18.661 min
Delta R.T.: -0.002 min
Response: 271536
Conc: 2.00 ug/ml




#15 N-TETRATRIACONTANE

R.T.: 19.441 min
Delta R.T.: 0.000 min
Response: 217876
Conc: 1.71 ug/ml




#16 N-HEXATRIACONTANE

R.T.: 20.176 min
Delta R.T.: 0.000 min
Response: 206150
Conc: 1.73 ug/ml



#17 N-OCTATRIACONTANE

R.T.: 20.926 min
Delta R.T.: 0.001 min
Response: 207404
Conc: 1.93 ug/ml



#18 N-TETRACONTANE

R.T.: 21.863 min
Delta R.T.: 0.000 min
Response: 146481
Conc: 1.29 ug/ml