

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF051524AR\
 Data File : FF014257.D
 Signal(s) : FID2B.ch
 Acq On : 15 May 2024 11:16
 Operator : YP\AJ
 Sample : 20 PPM AROMATIC HC STD
 Misc :
 ALS Vial : 73 Sample Multiplier: 1

Instrument :
 FID_F
 ClientSampleId :

Integration File: autoint1.e
 Quant Time: May 16 05:03:01 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\Aromatic EPH 051424.M
 Quant Title : GC Extractables
 QLast Update : Tue May 14 17:31:50 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.900	2126740	20.267 ug/ml
Spiked Amount 50.000		Recovery =	40.53%
6) S 2-Fluorobiphenyl (SURR)	8.772	1232582	20.367 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	40.73%
11) S ortho-Terphenyl (SURR)	11.834	2815151	19.944 ug/ml
Spiked Amount 50.000		Recovery =	39.89%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.514	2385232	19.703 ug/ml
2) T Naphthalene (C11.7)	6.178	2338970	19.974 ug/ml
3) T 2-Methylnaphthalene (...)	7.273	2293004	20.579 ug/ml
5) T Acenaphthylene (C15.06)	8.572	2233013	19.889 ug/ml
7) T Acenaphthene (C15.5)	8.871	2495135	19.725 ug/ml
8) T Flouorene (C16.55)	9.659	2178009	20.454 ug/ml
9) T Phenanthrene (C19.36)	11.062	2112839	20.397 ug/ml
10) T Anthracene (C19.43)	11.137	1946388	21.359 ug/ml
12) T Fluoranthene (C21.85)	12.882	2307308	20.274 ug/ml
13) T Pyrene (C20.8)	13.179	2210274	19.788 ug/ml
14) T Benzo[a]anthracene (C...	15.059	1611596	21.262 ug/ml
15) T Chrysene (C27.41)	15.100	2255469	20.509 ug/ml
16) T benzo[b]fluoranthene ...	16.615	2012684	20.055 ug/ml
17) T Bnezo[k]fluoranthene ...	16.647	2352401	19.882 ug/ml
18) T Benzo[a]pyrene (C31.34)	16.996	2081070	19.823 ug/ml
19) T Indeno[1,2,3-cd]pyren...	18.368	1649576	18.550 ug/ml
20) T Dibenz[a,h]anthracene...	18.408	2210466	20.785 ug/ml
21) T Benzo[g,h,i]perylene ...	18.620	2367018	19.222 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF051524AR\
Data File : FF014257.D
Signal(s) : FID2B.ch
Acq On : 15 May 2024 11:16
Operator : YP\AJ
Sample : 20 PPM AROMATIC HC STD
Misc :
ALS Vial : 73 Sample Multiplier: 1

Instrument :
FID_F
ClientSampleId :

Integration File: autoint1.e
Quant Time: May 16 05:03:01 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\Aromatic EPH 051424.M
Quant Title : GC Extractables
QLast Update : Tue May 14 17:31:50 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#1 1,2,3-Trimethylbenzene (C10.1)


R.T.: 4.514 min
Delta R.T.: -0.007 min
Response: 2385232
Conc: 19.70 ug/ml

Instrument :
FID_F
ClientSampleId :




#2 Naphthalene (C11.7)

R.T.: 6.178 min
Delta R.T.: -0.005 min
Response: 2338970
Conc: 19.97 ug/ml




#3 2-Methylnaphthalene (C12.89)

R.T.: 7.273 min
Delta R.T.: -0.004 min
Response: 2293004
Conc: 20.58 ug/ml



#4 2-Bromonaphthalene (SURR)


R.T.: 7.900 min
Delta R.T.: -0.004 min
Response: 2126740
Conc: 20.27 ug/ml



#5 Acenaphthylene (C15.06)


R.T.: 8.572 min
Delta R.T.: -0.003 min
Response: 2233013
Conc: 19.89 ug/ml

Instrument :
FID_F
ClientSampleId :




#6 2-Fluorobiphenyl (SURRE)

R.T.: 8.772 min
Delta R.T.: -0.007 min
Response: 1232582
Conc: 20.37 ug/ml




#7 Acenaphthene (C15.5)

R.T.: 8.871 min
Delta R.T.: -0.003 min
Response: 2495135
Conc: 19.72 ug/ml



#8 Fluorene (C16.55)


R.T.: 9.659 min
Delta R.T.: -0.005 min
Response: 2178009
Conc: 20.45 ug/ml



#9 Phenanthrene (C19.36)


R.T.: 11.062 min
Delta R.T.: -0.005 min
Response: 2112839
Conc: 20.40 ug/ml

Instrument :
FID_F
ClientSampleId :




#10 Anthracene (C19.43)

R.T.: 11.137 min
Delta R.T.: -0.007 min
Response: 1946388
Conc: 21.36 ug/ml




#11 ortho-Terphenyl (SURR)

R.T.: 11.834 min
Delta R.T.: -0.001 min
Response: 2815151
Conc: 19.94 ug/ml



#12 Fluoranthene (C21.85)


R.T.: 12.882 min
Delta R.T.: -0.003 min
Response: 2307308
Conc: 20.27 ug/ml



#13 Pyrene (C20.8)


R.T.: 13.179 min
Delta R.T.: -0.003 min
Response: 2210274
Conc: 19.79 ug/ml

Instrument :
FID_F
ClientSampleId :




#14 Benzo[a]anthracene (C26.37)

R.T.: 15.059 min
Delta R.T.: -0.008 min
Response: 1611596
Conc: 21.26 ug/ml




#15 Chrysene (C27.41)

R.T.: 15.100 min
Delta R.T.: -0.006 min
Response: 2255469
Conc: 20.51 ug/ml



#16 benzo[b]fluoranthene (C30.41)


R.T.: 16.615 min
Delta R.T.: -0.006 min
Response: 2012684
Conc: 20.05 ug/ml



#17 Bnezo[k]fluoranthene (C30.14)


R.T.: 16.647 min
Delta R.T.: -0.006 min
Response: 2352401
Conc: 19.88 ug/ml

Instrument :
FID_F
ClientSampleId :




#18 Benzo[a]pyrene (C31.34)

R.T.: 16.996 min
Delta R.T.: -0.008 min
Response: 2081070
Conc: 19.82 ug/ml




#19 Indeno[1,2,3-cd]pyrene (C35.01)

R.T.: 18.368 min
Delta R.T.: -0.013 min
Response: 1649576
Conc: 18.55 ug/ml



#20 Dibenz[a,h]anthracene (C30.36)

R.T.: 18.408 min
Delta R.T.: -0.020 min
Response: 2210466
Conc: 20.78 ug/ml



#21 Benzo[g,h,i]perylene (C34.01)

R.T.: 18.620 min
Delta R.T.: -0.006 min
Response: 2367018
Conc: 19.22 ug/ml

Instrument :

FID_F

ClientSampleId :