

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF051719\
 Data File : FF004566.D
 Signal(s) : FID2B.ch
 Acq On : 17 May 2019 13:41
 Operator : AJ\SJ
 Sample : IDOC-01 FOR RC
 Misc : IDOC-01 FOR RC
 ALS Vial : 56 Sample Multiplier: 1

Integration File: Sample.e
 Quant Time: May 18 05:02:42 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF050819.M
 Quant Title :
 QLast Update : Thu May 09 09:32:48 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	14.702	2021217	20.169 ug/ml
Target Compounds			
2) N-DECANE	4.421	2692707	18.653 ug/ml
3) N-DODECANE	6.445	2616324	18.497 ug/ml
4) N-TETRADECANE	8.239	2499023	18.390 ug/ml
5) N-HEXADECANE	9.842	2422824	18.509 ug/ml
6) N-OCTADECANE	11.285	2348560	18.946 ug/ml
7) N-EICOSANE	12.598	2308157	19.180 ug/ml
8) N-DOCOSANE	13.799	2291824	19.749 ug/ml
10) N-TETRACOSANE	14.905	2348952	20.515 ug/ml
11) N-HEXACOSANE	15.930	2378030	20.828 ug/ml
12) N-OCTACOSANE	16.884	2447518	21.417 ug/ml


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF051719\
Data File : FF004566.D
Signal(s) : FID2B.ch
Acq On : 17 May 2019 13:41
Operator : AJ\SJ
Sample : IDOC-01 FOR RC
Misc : IDOC-01 FOR RC
ALS Vial : 56 Sample Multiplier: 1

Integration File: Sample.e
Quant Time: May 18 05:02:42 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF050819.M
Quant Title :
QLast Update : Thu May 09 09:32:48 2019
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#2 N-DECANE

R.T.: 4.421 min
Delta R.T.: 0.007 min
Response: 2692707
Conc: 18.65 ug/ml




#3 N-DODECANE

R.T.: 6.445 min
Delta R.T.: 0.010 min
Response: 2616324
Conc: 18.50 ug/ml




#4 N-TETRADECANE

R.T.: 8.239 min
Delta R.T.: 0.011 min
Response: 2499023
Conc: 18.39 ug/ml




#5 N-HEXADECANE

R.T.: 9.842 min
Delta R.T.: 0.014 min
Response: 2422824
Conc: 18.51 ug/ml




#6 N-OCTADECANE

R.T.: 11.285 min
Delta R.T.: 0.017 min
Response: 2348560
Conc: 18.95 ug/ml




#7 N-EICOSANE

R.T.: 12.598 min
Delta R.T.: 0.020 min
Response: 2308157
Conc: 19.18 ug/ml




#8 N-DOCOSANE

R.T.: 13.799 min
Delta R.T.: 0.022 min
Response: 2291824
Conc: 19.75 ug/ml




#9 TETRACOSANE-d50 (SURROGATE)

R.T.: 14.702 min
Delta R.T.: 0.024 min
Response: 2021217
Conc: 20.17 ug/ml




#10 N-TETRACOSANE

R.T.: 14.905 min
Delta R.T.: 0.023 min
Response: 2348952
Conc: 20.52 ug/ml



#11 N-HEXACOSANE

R.T.: 15.930 min
Delta R.T.: 0.025 min
Response: 2378030
Conc: 20.83 ug/ml



#12 N-OCTACOSANE

R.T.: 16.884 min
Delta R.T.: 0.031 min
Response: 2447518
Conc: 21.42 ug/ml