

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF052224AR\
 Data File : FF014262.D
 Signal(s) : FID2B.ch
 Acq On : 22 May 2024 09:57
 Operator : YP\AJ
 Sample : 50 PPM AROMATIC HC STD2
 Misc :
 ALS Vial : 62 Sample Multiplier: 1

Instrument :
 FID_F
 ClientSampleId :
 50 PPM AROMATIC HC STD2

Integration File: autoint1.e
 Quant Time: May 22 12:00:22 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\Aromatic EPH 052224.M
 Quant Title : GC Extractables
 QLast Update : Wed May 22 12:00:14 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.902	5098431	44.770 ug/ml
Spiked Amount 50.000		Recovery =	89.54%
6) S 2-Fluorobiphenyl (SURR)	8.773	3097850	46.223 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	92.45%
11) S ortho-Terphenyl (SURR)	11.837	6278905	44.438 ug/ml
Spiked Amount 50.000		Recovery =	88.88%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.516	5990237	44.353 ug/ml
2) T Naphthalene (C11.7)	6.180	6016480	44.758 ug/ml
3) T 2-Methylnaphthalene (...)	7.275	5559529	45.827 ug/ml
5) T Acenaphthylene (C15.06)	8.574	5967020	45.269 ug/ml
7) T Acenaphthene (C15.5)	8.874	6216892	44.792 ug/ml
8) T Flouorene (C16.55)	9.660	4780502	47.123 ug/ml
9) T Phenanthrene (C19.36)	11.065	4934924	47.317 ug/ml
10) T Anthracene (C19.43)	11.139	4549173	49.791 ug/ml
12) T Fluoranthene (C21.85)	12.885	5513649	45.959 ug/ml
13) T Pyrene (C20.8)	13.184	5488566	45.070 ug/ml
14) T Benzo[a]anthracene (C...	15.060	2811232	50.268 ug/ml
15) T Chrysene (C27.41)	15.102	3853628	47.844 ug/ml
16) T benzo[b]fluoranthene ...	16.622	5072713	46.576 ug/ml
17) T Bnezo[k]fluoranthene ...	16.654	4587222	46.589 ug/ml
18) T Benzo[a]pyrene (C31.34)	17.001	4524743	47.273 ug/ml
19) T Indeno[1,2,3-cd]pyren...	18.373	3737599	46.733 ug/ml
20) T Dibenz[a,h]anthracene...	18.408	2857831	48.381 ug/ml
21) T Benzo[g,h,i]perylene ...	18.630	5778670	45.629 ug/ml

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF052224AR\
Data File : FF014262.D
Signal(s) : FID2B.ch
Acq On : 22 May 2024 09:57
Operator : YP\AJ
Sample : 50 PPM AROMATIC HC STD2
Misc :
ALS Vial : 62 Sample Multiplier: 1

Instrument :
FID_F
ClientSampleId :
50 PPM AROMATIC HC STD2

Integration File: autoint1.e
Quant Time: May 22 12:00:22 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\Aromatic EPH 052224.M
Quant Title : GC Extractables
QLast Update : Wed May 22 12:00:14 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm

