

rteres

Instrument :
FID_F
ClientSampleId :
LOD-MDL-WATER-01-QT2-2025
Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 06/17/2025
Supervised By :mohammad ahmed 06/18/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF06162
Data File : FF015997.D
Signal(s) : FID2B.ch
Acq On : 16 Jun 2025 13:29
Sample : Q2126-07
Misc : 2.5 PPM WATER LOD
ALS Vial : 76 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\Aromatic EPH 061325.M
Title : GC Extractables

Signal : FID2B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.655	4.635	4.684	VB	31574	307803	4.47%	1.243%
2	6.329	6.286	6.372	BB	37324	356326	5.17%	1.438%
3	7.427	7.366	7.466	BB	33177	330043	4.79%	1.332%
4	8.060	8.029	8.104	PB	704034	6789822	98.49%	27.409%
5	8.732	8.701	8.794	BB	36323	376744	5.47%	1.521%
6	8.935	8.892	8.962	BV	449770	4648484	67.43%	18.765%
7	9.031	9.007	9.066	VB	38521	375535	5.45%	1.516%
8	9.819	9.789	9.854	BB	37322	379336	5.50%	1.531%
9	11.224	11.191	11.251	BB	35745	367305	5.33%	1.483%
10	11.298	11.269	11.327	BV	36281	369466	5.36%	1.491%
11	12.002	11.961	12.052	BB	628487	6893666	100.00%	27.828%
12	13.045	13.001	13.084	BB	33891	353472	5.13%	1.427%
13	13.343	13.214	13.372	BV	33506	388304	5.63%	1.567%
14	15.222	15.189	15.243	BV	31261	344786	5.00%	1.392%
15	15.264	15.243	15.286	VV	29477	321612	4.67%	1.298%
16	16.779	16.722	16.794	BV	31126	362007	5.25%	1.461%
17	16.810	16.794	16.856	VB	31915	371478	5.39%	1.500%
18	17.159	17.104	17.197	BB	29149	350921	5.09%	1.417%
19	18.528	18.481	18.549	BV	29437	350231	5.08%	1.414%
20	18.571	18.549	18.627	VB	29030	397379	5.76%	1.604%
21	18.783	18.721	18.814	BB	27529	337928	4.90%	1.364%
Sum of corrected areas:						24772648		

Aromatic EPH 061325.M Tue Jun 17 03:17:03 2025