

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF062018\
 Data File : FF001043.D
 Signal(s) : FID2B.ch
 Acq On : 20 Jun 2018 19:15
 Operator : UA\AJ
 Sample : 50 PPM TRPH STD
 Misc :
 ALS Vial : 53 Sample Multiplier: 1

Instrument :
 FID_F
 ClientSampleId :

Integration File: Sample.e
 Quant Time: Jun 21 07:53:26 2018
 Quant Method : Z:\PESTPCBSRV\HPCHEM1\FID_F\Method\FF060118.M
 Quant Title :
 QLast Update : Fri Jun 01 16:01:51 2018
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	14.483	5709762	49.511 ug/ml
Target Compounds			
2) N-DECANE	4.242	7838190	55.940 ug/ml
3) N-DODECANE	6.257	7464453	53.260 ug/ml
4) N-TETRADECANE	8.046	7181637	51.581 ug/ml
5) N-HEXADECANE	9.642	6948478	50.396 ug/ml
6) N-OCTADECANE	11.082	6776163	49.623 ug/ml
7) N-EICOSANE	12.389	6597987	49.247 ug/ml
8) N-DOCOSANE	13.585	6496589	49.132 ug/ml
10) N-TETRACOSANE	14.687	6484744	49.995 ug/ml
11) N-HEXACOSANE	15.707	6497965	50.590 ug/ml
12) N-OCTACOSANE	16.655	6582705	51.767 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF062018\
Data File : FF001043.D
Signal(s) : FID2B.ch
Acq On : 20 Jun 2018 19:15
Operator : UA\AJ
Sample : 50 PPM TRPH STD
Misc :
ALS Vial : 53 Sample Multiplier: 1

Instrument :
FID_F
ClientSampleId :

Integration File: Sample.e
Quant Time: Jun 21 07:53:26 2018
Quant Method : Z:\PESTPCBSRV\HPCHEM1\FID_F\Method\FF060118.M
Quant Title :
QLast Update : Fri Jun 01 16:01:51 2018
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#2 N-DECANE


R.T.: 4.242 min
Delta R.T.: -0.010 min
Response: 7838190
Conc: 55.94 ug/ml

Instrument :
FID_F
ClientSampleId :




#3 N-DODECANE

R.T.: 6.257 min
Delta R.T.: -0.009 min
Response: 7464453
Conc: 53.26 ug/ml




#4 N-TETRADECANE

R.T.: 8.046 min
Delta R.T.: -0.009 min
Response: 7181637
Conc: 51.58 ug/ml



#5 N-HEXADECANE


R.T.: 9.642 min
Delta R.T.: -0.009 min
Response: 6948478
Conc: 50.40 ug/ml



#6 N-OCTADECANE


R.T.: 11.082 min
Delta R.T.: -0.007 min
Response: 6776163
Conc: 49.62 ug/ml

Instrument :
FID_F
ClientSampleId :




#7 N-EICOSANE

R.T.: 12.389 min
Delta R.T.: -0.007 min
Response: 6597987
Conc: 49.25 ug/ml




#8 N-DOCOSANE

R.T.: 13.585 min
Delta R.T.: -0.005 min
Response: 6496589
Conc: 49.13 ug/ml



#9 TETRACOSANE-d50 (SURROGATE)


R.T.: 14.483 min
Delta R.T.: -0.007 min
Response: 5709762
Conc: 49.51 ug/ml



#10 N-TETRACOSANE


R.T.: 14.687 min
Delta R.T.: -0.005 min
Response: 6484744
Conc: 49.99 ug/ml

Instrument :
FID_F
ClientSampleId :



#11 N-HEXACOSANE

R.T.: 15.707 min
Delta R.T.: -0.004 min
Response: 6497965
Conc: 50.59 ug/ml



#12 N-OCTACOSANE

R.T.: 16.655 min
Delta R.T.: -0.003 min
Response: 6582705
Conc: 51.77 ug/ml