

rteres.txt

Area Percent Report

Instrument :
FID_F
ClientSampleId :
EPE-106-8(14-16)MSD

Manual Integrations
APPROVED

UGO
6/28/2018 1:17:37 PM

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF062718\
Data File : FF001119.D
Signal(s) : FID2B.ch
Acq On : 27 Jun 2018 18:15
Sample : J3732-02MSD
Misc :
ALS Vial : 60 Sample Multiplier: 1

Integration File: Sample.e

Method : Z:\PESTPCBSRV\HPCHEM1\FID_F\Method\FF060118.M
Title :

Signal : FID2B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.236	4.212	4.317	PH	227116	2103499	92.21%	7.188%
2	4.336	4.317	4.367	PH	1286	10402	0.46%	0.036%
3	4.386	4.367	4.410	PH	1151	9695	0.42%	0.033%
4	4.415	4.410	4.419	PH	-108	-478	-0.02%	-0.002%
5	4.422	4.419	4.426	PH	-36	-386	-0.02%	-0.001%
6	4.429	4.426	4.450	PH	-32	-1956	-0.09%	-0.007%
7	4.464	4.450	4.506	PH	-137	-8021	-0.35%	-0.027%
8	4.511	4.506	4.548	PH	-263	-8117	-0.36%	-0.028%
9	4.562	4.548	4.585	PH	-240	-6807	-0.30%	-0.023%
10	4.590	4.585	4.595	PH	-288	-1954	-0.09%	-0.007%
11	4.600	4.595	4.605	PH	-276	-2048	-0.09%	-0.007%
12	4.612	4.605	4.633	PH	-260	-5977	-0.26%	-0.020%
13	4.641	4.633	4.649	PH	-333	-3698	-0.16%	-0.013%
14	4.657	4.649	4.675	PH	-358	-6350	-0.28%	-0.022%
15	4.686	4.675	4.702	PH	-366	-6821	-0.30%	-0.023%
16	4.706	4.702	4.716	PH	-387	-3520	-0.15%	-0.012%
17	4.719	4.716	4.724	PH	-365	-2148	-0.09%	-0.007%
18	4.727	4.724	4.769	PH	-379	-12059	-0.53%	-0.041%
19	4.773	4.769	4.781	PH	-395	-3143	-0.14%	-0.011%
20	4.789	4.781	4.794	PH	-443	-3779	-0.17%	-0.013%
21	4.827	4.794	4.867	PH	175	-11887	-0.52%	-0.041%
22	4.888	4.867	4.892	PH	-241	-5093	-0.22%	-0.017%
23	4.905	4.892	4.922	PH	-47	-3594	-0.16%	-0.012%
24	4.937	4.922	4.963	PH	-154	-7420	-0.33%	-0.025%
25	4.980	4.963	4.992	PH	-244	-5694	-0.25%	-0.019%
26	4.995	4.992	5.020	PH	-357	-7439	-0.33%	-0.025%
27	5.027	5.020	5.042	PH	-396	-5590	-0.25%	-0.019%
28	5.052	5.042	5.068	PH	-365	-6792	-0.30%	-0.023%
29	5.090	5.068	5.130	PH	181	-7861	-0.34%	-0.027%
30	5.133	5.130	5.148	PH	-396	-4384	-0.19%	-0.015%
31	5.154	5.148	5.159	PH	-361	-2816	-0.12%	-0.010%
32	5.165	5.159	5.185	PH	-385	-7111	-0.31%	-0.024%
33	5.208	5.185	5.224	PH	-405	-11133	-0.49%	-0.038%
34	5.231	5.224	5.250	PH	-411	-7759	-0.34%	-0.027%
35	5.270	5.250	5.287	PH	468	-1443	-0.06%	-0.005%
36	5.298	5.287	5.311	PH	-327	-5439	-0.24%	-0.019%

Instrument :
FID_F
ClientSampleId :
EPE-106-8(14-16)MSD

Manual Integrations
APPROVED

UGO
6/28/2018 1:17:37 PM

					rteres.txt			
37	5.347	5.311	5.407	PH	8235	74930	3.28%	0.256%
38	5.423	5.407	5.487	PH	393	-13415	-0.59%	-0.046%
39	5.494	5.487	5.502	PH	-431	-4158	-0.18%	-0.014%
40	5.523	5.502	5.562	PH	-141	-12253	-0.54%	-0.042%
41	5.566	5.562	5.577	PH	-456	-4484	-0.20%	-0.015%
42	5.581	5.577	5.587	PH	-506	-3085	-0.14%	-0.011%
43	5.592	5.587	5.599	PH	-476	-3492	-0.15%	-0.012%
44	5.603	5.599	5.630	PH	-431	-8939	-0.39%	-0.031%
45	5.635	5.630	5.659	PH	-453	-8900	-0.39%	-0.030%
46	5.660	5.659	5.664	PH	-505	-1785	-0.08%	-0.006%
47	5.670	5.664	5.677	PH	-440	-4017	-0.18%	-0.014%
48	5.681	5.677	5.688	PH	-444	-3217	-0.14%	-0.011%
49	5.691	5.688	5.701	PH	-471	-3864	-0.17%	-0.013%
50	5.723	5.701	5.732	PH	-348	-8176	-0.36%	-0.028%
51	5.735	5.732	5.765	PH	-415	-9825	-0.43%	-0.034%
52	5.771	5.765	5.777	PH	-489	-3456	-0.15%	-0.012%
53	5.811	5.777	5.872	PH	360	-6268	-0.27%	-0.021%
54	5.890	5.872	5.923	PH	47	-4820	-0.21%	-0.016%
55	5.973	5.923	6.015	PH	826	-3687	-0.16%	-0.013%
56	6.019	6.015	6.027	PH	-427	-3511	-0.15%	-0.012%
57	6.094	6.027	6.147	PH	907	-7087	-0.31%	-0.024%
58	6.169	6.147	6.215	PH	554	2361	0.10%	0.008%
59	6.248	6.215	6.346	PH	206501	2106289	92.33%	7.198%
60	6.350	6.346	6.380	PH	-116	-4709	-0.21%	-0.016%
61	6.383	6.380	6.432	PH	-209	-10619	-0.47%	-0.036%
62	6.444	6.432	6.449	PH	-373	-4021	-0.18%	-0.014%
63	6.455	6.449	6.489	PH	-307	-9730	-0.43%	-0.033%
64	6.494	6.489	6.508	PH	-361	-4631	-0.20%	-0.016%
65	6.521	6.508	6.529	PH	-332	-5426	-0.24%	-0.019%
66	6.535	6.529	6.538	PH	-452	-2393	-0.10%	-0.008%
67	6.540	6.538	6.549	PH	-465	-3219	-0.14%	-0.011%
68	6.556	6.549	6.569	PH	-459	-5616	-0.25%	-0.019%
69	6.575	6.569	6.585	PH	-415	-4447	-0.19%	-0.015%
70	6.591	6.585	6.619	PH	-391	-10636	-0.47%	-0.036%
71	6.623	6.619	6.627	PH	-460	-2558	-0.11%	-0.009%
72	6.637	6.627	6.644	PH	-456	-5152	-0.23%	-0.018%
73	6.645	6.644	6.660	PH	-491	-5499	-0.24%	-0.019%
74	6.671	6.660	6.676	PH	-515	-5411	-0.24%	-0.018%
75	6.682	6.676	6.695	PH	-503	-6735	-0.30%	-0.023%
76	6.733	6.695	6.754	PH	64	-10004	-0.44%	-0.034%
77	6.757	6.754	6.794	PH	-198	-7967	-0.35%	-0.027%
78	6.797	6.794	6.802	PH	-413	-2131	-0.09%	-0.007%
79	6.808	6.802	6.834	PH	-356	-8842	-0.39%	-0.030%
80	6.863	6.834	6.881	PH	-124	-9290	-0.41%	-0.032%
81	6.901	6.881	6.928	PH	376	-3957	-0.17%	-0.014%
82	6.947	6.928	6.972	PH	-330	-13220	-0.58%	-0.045%
83	6.975	6.972	6.986	PH	-578	-5255	-0.23%	-0.018%
84	6.999	6.986	7.019	PH	-340	-9024	-0.40%	-0.031%
85	7.040	7.019	7.064	PH	-270	-11564	-0.51%	-0.040%
86	7.069	7.064	7.105	PH	-420	-13165	-0.58%	-0.045%
87	7.116	7.105	7.137	PH	-475	-10234	-0.45%	-0.035%
88	7.141	7.137	7.146	PH	-511	-2804	-0.12%	-0.010%
89	7.169	7.146	7.198	PH	87	-10908	-0.48%	-0.037%

Instrument :
FID_F
ClientSampleId :
EPE-106-8(14-16)MSD

Manual Integrations
APPROVED

UGO
6/28/2018 1:17:37 PM

rteres.txt									
90	7.227	7.198	7.245	PH	-548	-17681	-0.78%	-0.060%	
91	7.249	7.245	7.273	PH	-583	-10472	-0.46%	-0.036%	
92	7.284	7.273	7.289	PH	-505	-5439	-0.24%	-0.019%	
93	7.302	7.289	7.308	PH	-443	-6202	-0.27%	-0.021%	
94	7.321	7.308	7.334	PH	-539	-9310	-0.41%	-0.032%	
95	7.335	7.334	7.364	PH	-548	-11615	-0.51%	-0.040%	
96	7.369	7.364	7.375	PH	-651	-4665	-0.20%	-0.016%	
97	7.395	7.375	7.417	PH	-458	-14029	-0.61%	-0.048%	
98	7.443	7.417	7.501	PH	314	-20143	-0.88%	-0.069%	
99	7.506	7.501	7.512	PH	-591	-3964	-0.17%	-0.014%	
100	7.518	7.512	7.540	PH	-542	-10364	-0.45%	-0.035%	
101	7.545	7.540	7.552	PH	-606	-4515	-0.20%	-0.015%	
102	7.612	7.552	7.640	PH	889	-6353	-0.28%	-0.022%	
103	7.643	7.640	7.675	PH	-218	-8234	-0.36%	-0.028%	
104	7.691	7.675	7.711	PH	-352	-10514	-0.46%	-0.036%	
105	7.730	7.711	7.757	PH	-430	-13564	-0.59%	-0.046%	
106	7.788	7.757	7.813	PH	355	-5845	-0.26%	-0.020%	
107	7.819	7.813	7.826	PH	-507	-4343	-0.19%	-0.015%	
108	7.834	7.826	7.839	PH	-525	-3914	-0.17%	-0.013%	
109	7.850	7.839	7.874	PH	-428	-10655	-0.47%	-0.036%	
110	7.884	7.874	7.906	PH	-497	-10421	-0.46%	-0.036%	
111	7.930	7.906	7.963	PH	354	-3206	-0.14%	-0.011%	
112	7.969	7.963	7.974	PH	-252	-1987	-0.09%	-0.007%	
113	8.036	7.974	8.068	PH	198531	2141663	93.88%	7.318%	
114	8.092	8.068	8.181	HH	52583	582997	25.56%	1.992%	
115	8.187	8.181	8.208	PH	-43	-3300	-0.14%	-0.011%	
116	8.226	8.208	8.249	PH	-259	-6539	-0.29%	-0.022%	
117	8.264	8.249	8.314	PH	142	-8583	-0.38%	-0.029%	
118	8.322	8.314	8.344	PH	-384	-8678	-0.38%	-0.030%	
119	8.388	8.344	8.414	PH	110	-10760	-0.47%	-0.037%	
120	8.434	8.414	8.449	PH	141	-1182	-0.05%	-0.004%	
121	8.461	8.449	8.479	PH	61	-1220	-0.05%	-0.004%	
122	8.483	8.479	8.492	PH	-150	-1192	-0.05%	-0.004%	
123	8.519	8.492	8.547	PH	280	2502	0.11%	0.009%	
124	8.570	8.547	8.602	PH	1221	6030	0.26%	0.021%	
125	8.621	8.602	8.638	PH	-12	-4592	-0.20%	-0.016%	
126	8.660	8.638	8.670	PH	-319	-7775	-0.34%	-0.027%	
127	8.688	8.670	8.703	PH	-183	-5019	-0.22%	-0.017%	
128	8.714	8.703	8.731	PH	-167	-4222	-0.19%	-0.014%	
129	8.756	8.731	8.822	PH	1258	9344	0.41%	0.032%	
130	8.855	8.822	8.896	PH	7768	81268	3.56%	0.278%	
131	8.907	8.896	8.922	PH	-101	-3037	-0.13%	-0.010%	
132	8.941	8.922	8.957	PH	100	-3205	-0.14%	-0.011%	
133	8.973	8.957	8.979	PH	-202	-3689	-0.16%	-0.013%	
134	8.988	8.979	9.022	PH	-120	-7244	-0.32%	-0.025%	
135	9.036	9.022	9.060	PH	-198	-6990	-0.31%	-0.024%	
136	9.085	9.060	9.103	PH	-224	-7936	-0.35%	-0.027%	
137	9.110	9.103	9.120	PH	-224	-2696	-0.12%	-0.009%	
138	9.134	9.120	9.147	PH	-58	-2892	-0.13%	-0.010%	
139	9.152	9.147	9.172	PH	-163	-4591	-0.20%	-0.016%	
140	9.192	9.172	9.207	PH	772	7085	0.31%	0.024%	
141	9.228	9.207	9.258	HH	1713	31222	1.37%	0.107%	

rteres.txt									
142	9.272	9.258	9.294	HH	926	12687	0.56%	0.043%	
143	9.314	9.294	9.335	HH	967	12960	0.57%	0.044%	
144	9.358	9.335	9.378	HH	1628	19406	0.85%	0.066%	
145	9.411	9.378	9.437	HH	1674	19685	0.86%	0.067%	
146	9.462	9.437	9.492	PH	3823	39694	1.74%	0.136%	
147	9.503	9.492	9.526	PH	-30	-2220	-0.10%	-0.008%	
148	9.549	9.526	9.564	PH	627	7061	0.31%	0.024%	
149	9.587	9.564	9.602	HH	638	10962	0.48%	0.037%	
150	9.632	9.602	9.681	HH	202142	2281159	100.00%	7.795%	
151	9.700	9.681	9.719	HH	1063	20097	0.88%	0.069%	
152	9.734	9.719	9.765	HH	908	19183	0.84%	0.066%	
153	9.782	9.765	9.822	HH	573	13697	0.60%	0.047%	
154	9.844	9.822	9.864	HH	442	6493	0.28%	0.022%	
155	9.871	9.864	9.884	HH	268	2445	0.11%	0.008%	
156	9.902	9.884	9.934	HH	470	7920	0.35%	0.027%	
157	9.978	9.934	9.990	HH	1643	28496	1.25%	0.097%	
158	10.018	9.990	10.045	HH	3910	74826	3.28%	0.256%	
159	10.068	10.045	10.085	HH	1663	27394	1.20%	0.094%	
160	10.108	10.085	10.134	HH	1984	37364	1.64%	0.128%	
161	10.161	10.134	10.194	HH	1893	35399	1.55%	0.121%	
162	10.209	10.194	10.225	HH	718	10569	0.46%	0.036%	
163	10.246	10.225	10.267	HH	1586	26882	1.18%	0.092%	
164	10.294	10.267	10.309	HH	1349	28148	1.23%	0.096%	
165	10.322	10.309	10.338	HH	1284	19860	0.87%	0.068%	
166	10.368	10.338	10.400	HH	12682	173916	7.62%	0.594%	
167	10.439	10.400	10.481	HH	3744	87564	3.84%	0.299%	
168	10.494	10.481	10.528	HH	1304	27116	1.19%	0.093%	
169	10.546	10.528	10.565	HH	706	14190	0.62%	0.048%	
170	10.613	10.565	10.642	HH	3069	64267	2.82%	0.220%	
171	10.653	10.642	10.662	HH	1064	11516	0.50%	0.039%	
172	10.690	10.662	10.727	HH	2427	60632	2.66%	0.207%	
173	10.750	10.727	10.774	HH	1725	38424	1.68%	0.131%	
174	10.781	10.774	10.801	HH	1014	13230	0.58%	0.045%	
175	10.823	10.801	10.854	HH	1429	27830	1.22%	0.095%	
176	10.875	10.854	10.902	HH	1304	21103	0.93%	0.072%	
177	10.920	10.902	10.952	HH	562	12771	0.56%	0.044%	
178	10.963	10.952	10.973	HH	374	4228	0.19%	0.014%	
179	11.005	10.973	11.027	HH	863	18290	0.80%	0.063%	
180	11.070	11.027	11.126	HH	181238	2180886	95.60%	7.452%	
181	11.156	11.126	11.190	HH	2438	53776	2.36%	0.184%	
182	11.223	11.190	11.245	HH	893	18943	0.83%	0.065%	
183	11.261	11.245	11.285	HH	935	13844	0.61%	0.047%	
184	11.309	11.285	11.324	HH	628	10225	0.45%	0.035%	
185	11.335	11.324	11.353	HH	768	11179	0.49%	0.038%	
186	11.363	11.353	11.395	HH	932	18593	0.82%	0.064%	
187	11.413	11.395	11.432	HH	1011	17699	0.78%	0.060%	
188	11.459	11.432	11.482	HH	1133	26706	1.17%	0.091%	
189	11.523	11.482	11.544	HH	1325	35067	1.54%	0.120%	
190	11.550	11.544	11.575	HH	1058	14047	0.62%	0.048%	
191	11.589	11.575	11.621	HH	852	14391	0.63%	0.049%	
192	11.625	11.621	11.630	HH	293	1534	0.07%	0.005%	
193	11.632	11.630	11.650	HH	304	2204	0.10%	0.008%	
194	11.674	11.650	11.692	HH	695	9616	0.42%	0.033%	

Instrument :
FID_F
ClientSampleId :
EPE-106-8(14-16)MSD

Manual Integrations
APPROVED

UGO
6/28/2018 1:17:37 PM

rteres.txt							
195	11.738	11.692	11.769	HH	4647	72112	3.16% 0.246%
196	11.790	11.769	11.804	HH	1462	20696	0.91% 0.071%
197	11.823	11.804	11.871	HH	3314	49470	2.17% 0.169%
198	11.883	11.871	11.903	HH	532	6813	0.30% 0.023%
199	11.931	11.903	11.956	HH	407	8946	0.39% 0.031%
200	11.989	11.956	12.034	HH	14710	180784	7.93% 0.618%
201	12.050	12.034	12.097	HH	1050	26007	1.14% 0.089%
202	12.124	12.097	12.135	HH	829	14295	0.63% 0.049%
203	12.143	12.135	12.175	HH	711	13327	0.58% 0.046%
204	12.200	12.175	12.253	HH	1311	30411	1.33% 0.104%
205	12.302	12.253	12.339	HH	1192	38215	1.68% 0.131%
206	12.377	12.339	12.406	HH	169417	2068085	90.66% 7.067%
207	12.424	12.406	12.490	HH	5183	95308	4.18% 0.326%
208	12.497	12.490	12.502	HH	488	3066	0.13% 0.010%
209	12.522	12.502	12.533	HH	562	8259	0.36% 0.028%
210	12.567	12.533	12.578	HH	745	15262	0.67% 0.052%
211	12.590	12.578	12.610	HH	819	14375	0.63% 0.049%
212	12.615	12.610	12.657	HH	751	18664	0.82% 0.064%
213	12.659	12.657	12.695	HH	633	11823	0.52% 0.040%
214	12.721	12.695	12.757	HH	4004	67524	2.96% 0.231%
215	12.806	12.757	12.887	HH	7083	242437	10.63% 0.828%
216	12.896	12.887	12.919	HH	1585	25587	1.12% 0.087%
217	12.930	12.919	12.962	HH	1429	27170	1.19% 0.093%
218	12.987	12.962	13.034	HH	2577	58935	2.58% 0.201%
219	13.043	13.034	13.073	HH	960	19533	0.86% 0.067%
220	13.080	13.073	13.094	HH	669	7385	0.32% 0.025%
221	13.113	13.094	13.130	HH	821	15401	0.68% 0.053%
222	13.154	13.130	13.162	HH	813	13403	0.59% 0.046%
223	13.181	13.162	13.200	HH	1441	24666	1.08% 0.084%
224	13.219	13.200	13.249	HH	1269	26265	1.15% 0.090%
225	13.264	13.249	13.280	HH	976	15872	0.70% 0.054%
226	13.285	13.280	13.289	HH	843	3928	0.17% 0.013%
227	13.311	13.289	13.355	HH	1524	43826	1.92% 0.150%
228	13.375	13.355	13.399	HH	1131	26096	1.14% 0.089%
229	13.420	13.399	13.444	HH	1569	30809	1.35% 0.105%
230	13.459	13.444	13.475	HH	1090	18709	0.82% 0.064%
231	13.490	13.475	13.500	HH	1167	15385	0.67% 0.053%
232	13.522	13.500	13.539	HH	1745	29820	1.31% 0.102%
233	13.572	13.539	13.614	HH	156297	2044434	89.62% 6.986%
234	13.624	13.614	13.652	HH	1229	24818	1.09% 0.085%
235	13.679	13.652	13.711	HH	1124	31634	1.39% 0.108%
236	13.721	13.711	13.743	HH	724	13018	0.57% 0.044%
237	13.762	13.743	13.775	HH	769	13299	0.58% 0.045%
238	13.795	13.775	13.821	HH	911	22044	0.97% 0.075%
239	13.841	13.821	13.881	HH	1652	36788	1.61% 0.126%
240	13.892	13.881	13.908	HH	754	11338	0.50% 0.039%
241	13.933	13.908	13.955	HH	1087	24974	1.09% 0.085%
242	13.985	13.955	14.066	HH	1814	84845	3.72% 0.290%
243	14.083	14.066	14.099	HH	1165	19786	0.87% 0.068%
244	14.132	14.099	14.164	HH	2697	62238	2.73% 0.213%
245	14.186	14.164	14.215	HH	2243	48197	2.11% 0.165%
246	14.224	14.215	14.250	HH	1475	26747	1.17% 0.091%

Instrument :
FID_F
ClientSampleId :
EPE-106-8(14-16)MSD

Manual Integrations
APPROVED

UGO
6/28/2018 1:17:37 PM

Instrument :
FID_F
ClientSampleId :
EPE-106-8(14-16)MSD

Manual Integrations
APPROVED

UGO
6/28/2018 1:17:37 PM

rteres.txt									
247	14.261	14.250	14.265	HH	1139	9686	0.42%	0.033%	
248	14.269	14.265	14.272	HH	1174	4341	0.19%	0.015%	
249	14.288	14.272	14.314	HH	1302	27825	1.22%	0.095%	
250	14.351	14.314	14.384	HH	1686	50152	2.20%	0.171%	
251	14.388	14.384	14.397	HH	983	7565	0.33%	0.026%	
252	14.407	14.397	14.429	HH	990	17458	0.77%	0.060%	
253	14.470	14.429	14.522	HH	125959	1791421	78.53%	6.122%	
254	14.555	14.522	14.577	HH	1537	43289	1.90%	0.148%	
255	14.603	14.577	14.619	HH	2401	46209	2.03%	0.158%	
256	14.674	14.619	14.704	HH	150833	2097404	91.94%	7.167%	
257	14.717	14.704	14.747	HH	3009	54422	2.39%	0.186%	
258	14.782	14.747	14.797	HH	1384	39219	1.72%	0.134%	
259	14.803	14.797	14.810	HH	1265	9039	0.40%	0.031%	
260	14.830	14.810	14.849	HH	1242	26708	1.17%	0.091%	
261	14.873	14.849	14.898	HH	1467	37427	1.64%	0.128%	
262	14.904	14.898	14.910	HH	1151	7798	0.34%	0.027%	
263	14.930	14.910	14.950	HH	1289	28455	1.25%	0.097%	
264	14.955	14.950	14.965	HH	1222	11093	0.49%	0.038%	
265	14.970	14.965	14.980	HH	1175	9855	0.43%	0.034%	
266	14.986	14.980	15.005	HH	1212	16620	0.73%	0.057%	
267	15.067	15.005	15.168	HH	16592	567913	24.90%	1.941%	
268	15.193	15.168	15.222	HH	3565	81059	3.55%	0.277%	
269	15.251	15.222	15.297	HH	11292	204733	8.97%	0.700%	
270	15.318	15.297	15.335	HH	1647	35907	1.57%	0.123%	
271	15.366	15.335	15.400	HH	1506	55253	2.42%	0.189%	
272	15.416	15.400	15.422	HH	1605	19404	0.85%	0.066%	
273	15.434	15.422	15.464	HH	1744	41102	1.80%	0.140%	
274	15.488	15.464	15.532	HH	1947	69187	3.03%	0.236%	
275	15.566	15.532	15.570	HH	1723	35882	1.57%	0.123%	
276	15.595	15.570	15.637	HH	2051	76109	3.34%	0.260%	
277	15.693	15.637	15.734	HH	146362	2068479	90.68%	7.068%	
278	15.754	15.734	15.792	HH	3035	77113	3.38%	0.264%	
279	15.807	15.792	15.849	HH	1766	56874	2.49%	0.194%	
280	15.878	15.849	15.898	HH	1976	53339	2.34%	0.182%	
281	15.920	15.898	15.930	HH	1890	35329	1.55%	0.121%	
282	15.937	15.930	15.945	HH	1883	16580	0.73%	0.057%	
283	15.978	15.945	16.004	HH	2299	72180	3.16%	0.247%	
284	16.014	16.004	16.025	HH	2145	26335	1.15%	0.090%	
285	16.089	16.025	16.115	HH	4380	164719	7.22%	0.563%	
286	16.138	16.115	16.153	HH	4987	99392	4.36%	0.340%	
287	16.173	16.153	16.210	HH	5712	140070	6.14%	0.479%	
288	16.240	16.210	16.271	HH	3976	111306	4.88%	0.380%	
289	16.300	16.271	16.350	HH	2973	125372	5.50%	0.428%	
290	16.361	16.350	16.410	HH	2606	89323	3.92%	0.305%	
291	16.480	16.410	16.509	HH	3503	166958	7.32%	0.571%	
292	16.538	16.509	16.584	HH	3506	138480	6.07%	0.473%	
293	16.641	16.584	16.672	HH	151284	2197246	96.32%	7.508%	
294	16.684	16.672	16.704	HH	6774	105492	4.62%	0.360%	
Sum of corrected areas:						29264084			