

rteres

Instrument :  
FID\_F  
LabSampleId :  
50 PPM TRPH STD  
Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 06/29/2022  
Supervised By :Ankita Jodhani 06/29/2022

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_F\Data\FF06282  
Data File : FF010911.D  
Signal(s) : FID2B.ch  
Acq On : 28 Jun 2022 12:39  
Sample : 50 PPM TRPH STD  
Misc :  
ALS Vial : 53 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_F\Method\FF060622.M  
Title :

Signal : FID2B.ch

| peak<br>#               | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-------------------------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1                       | 4.384       | 4.348        | 4.462      | BB       | 730767         | 7460247      | 97.76%         | 9.387%        |
| 2                       | 6.552       | 6.515        | 6.618      | BB       | 739263         | 7491147      | 98.17%         | 9.425%        |
| 3                       | 8.376       | 8.335        | 8.445      | BB       | 708787         | 7563137      | 99.11%         | 9.516%        |
| 4                       | 9.981       | 9.942        | 10.042     | BB       | 678688         | 7559042      | 99.06%         | 9.511%        |
| 5                       | 11.422      | 11.312       | 11.502     | BB       | 640116         | 7631035      | 100.00%        | 9.601%        |
| 6                       | 12.731      | 12.642       | 12.795     | BB       | 606264         | 7387733      | 96.81%         | 9.295%        |
| 7                       | 13.928      | 13.889       | 13.995     | VB       | 570497         | 7263150      | 95.18%         | 9.139%        |
| 8                       | 14.827      | 14.782       | 14.890     | BBA      | 461680         | 6386098      | 83.69%         | 8.035%        |
| 9                       | 15.030      | 14.982       | 15.092     | BB       | 548905         | 7066377      | 92.60%         | 8.891%        |
| 10                      | 16.051      | 15.875       | 16.105     | BB       | 532868         | 6916743      | 90.64%         | 8.703%        |
| 11                      | 17.000      | 16.942       | 17.040     | BBA      | 512984         | 6753718      | 88.50%         | 8.498%        |
| Sum of corrected areas: |             |              |            |          |                | 79478427     |                |               |

FF060622.M Wed Jun 29 17:10:04 2022