

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF070318\
 Data File : FF001219.D
 Signal(s) : FID2B.ch
 Acq On : 04 Jul 2018 02:21
 Operator : UA\AJ
 Sample : 50 PPM TRPH STD
 Misc :
 ALS Vial : 53 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Jul 04 03:22:40 2018
 Quant Method : Z:\PESTPCBSRV\HPCHEM1\FID_F\Method\FF070218.M
 Quant Title :
 QLast Update : Mon Jul 02 13:42:46 2018
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	14.462	5632156	52.283 ug/ml
Target Compounds			
2) N-DECANE	4.229	6456016	51.999 ug/ml
3) N-DODECANE	6.241	6545441	52.237 ug/ml
4) N-TETRADECANE	8.029	6597215	52.455 ug/ml
5) N-HEXADECANE	9.625	6620102	52.985 ug/ml
6) N-OCTADECANE	11.063	6632321	52.922 ug/ml
7) N-EICOSANE	12.369	6545540	52.621 ug/ml
8) N-DOCOSANE	13.565	6449900	52.306 ug/ml
10) N-TETRACOSANE	14.667	6310794	51.767 ug/ml
11) N-HEXACOSANE	15.684	6178018	50.968 ug/ml
12) N-OCTACOSANE	16.633	6028506	50.041 ug/ml


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF070318\
Data File : FF001219.D
Signal(s) : FID2B.ch
Acq On : 04 Jul 2018 02:21
Operator : UA\AJ
Sample : 50 PPM TRPH STD
Misc :
ALS Vial : 53 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Jul 04 03:22:40 2018
Quant Method : Z:\PESTPCBSRV\HPCHEM1\FID_F\Method\FF070218.M
Quant Title :
QLast Update : Mon Jul 02 13:42:46 2018
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#2 N-DECANE

R.T.: 4.229 min
Delta R.T.: -0.002 min
Response: 6456016
Conc: 52.00 ug/ml




#3 N-DODECANE

R.T.: 6.241 min
Delta R.T.: -0.003 min
Response: 6545441
Conc: 52.24 ug/ml




#4 N-TETRADECANE

R.T.: 8.029 min
Delta R.T.: -0.003 min
Response: 6597215
Conc: 52.46 ug/ml




#5 N-HEXADECANE

R.T.: 9.625 min
Delta R.T.: -0.004 min
Response: 6620102
Conc: 52.98 ug/ml




#6 N-OCTADECANE

R.T.: 11.063 min
Delta R.T.: -0.004 min
Response: 6632321
Conc: 52.92 ug/ml




#7 N-EICOSANE

R.T.: 12.369 min
Delta R.T.: -0.004 min
Response: 6545540
Conc: 52.62 ug/ml




#8 N-DOCOSANE

R.T.: 13.565 min
Delta R.T.: -0.004 min
Response: 6449900
Conc: 52.31 ug/ml




#9 TETRACOSANE-d50 (SURROGATE)

R.T.: 14.462 min
Delta R.T.: -0.004 min
Response: 5632156
Conc: 52.28 ug/ml




#10 N-TETRACOSANE

R.T.: 14.667 min
Delta R.T.: -0.004 min
Response: 6310794
Conc: 51.77 ug/ml



#11 N-HEXACOSANE

R.T.: 15.684 min
Delta R.T.: -0.005 min
Response: 6178018
Conc: 50.97 ug/ml



#12 N-OCTACOSANE

R.T.: 16.633 min
Delta R.T.: -0.004 min
Response: 6028506
Conc: 50.04 ug/ml