

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF071818\
 Data File : FF001411.D
 Signal(s) : FID2B.ch
 Acq On : 18 Jul 2018 17:04
 Operator : AJ\SJ
 Sample : 50 PPM TRPH STD
 Misc :
 ALS Vial : 53 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Jul 19 02:10:45 2018
 Quant Method : Z:\PESTPCBSRV\HPCHEM1\FID_F\Method\FF070218.M
 Quant Title :
 QLast Update : Mon Jul 02 13:42:46 2018
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	14.459	4523955	41.996 ug/ml
Target Compounds			
2) N-DECANE	4.221	5693052	45.854 ug/ml
3) N-DODECANE	6.234	5580347	44.535 ug/ml
4) N-TETRADECANE	8.023	5488032	43.636 ug/ml
5) N-HEXADECANE	9.620	5379147	43.053 ug/ml
6) N-OCTADECANE	11.058	5312351	42.390 ug/ml
7) N-EICOSANE	12.365	5219884	41.964 ug/ml
8) N-DOCOSANE	13.560	5172489	41.947 ug/ml
10) N-TETRACOSANE	14.662	5186998	42.548 ug/ml
11) N-HEXACOSANE	15.682	5208226	42.967 ug/ml
12) N-OCTACOSANE	16.631	5365150	44.534 ug/ml


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF071818\
Data File : FF001411.D
Signal(s) : FID2B.ch
Acq On : 18 Jul 2018 17:04
Operator : AJ\SJ
Sample : 50 PPM TRPH STD
Misc :
ALS Vial : 53 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Jul 19 02:10:45 2018
Quant Method : Z:\PESTPCBSRV\HPCHEM1\FID_F\Method\FF070218.M
Quant Title :
QLast Update : Mon Jul 02 13:42:46 2018
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#2 N-DECANE

R.T.: 4.221 min
Delta R.T.: -0.010 min
Response: 5693052
Conc: 45.85 ug/ml




#3 N-DODECANE

R.T.: 6.234 min
Delta R.T.: -0.010 min
Response: 5580347
Conc: 44.53 ug/ml




#4 N-TETRADECANE

R.T.: 8.023 min
Delta R.T.: -0.010 min
Response: 5488032
Conc: 43.64 ug/ml




#5 N-HEXADECANE

R.T.: 9.620 min
Delta R.T.: -0.009 min
Response: 5379147
Conc: 43.05 ug/ml




#6 N-OCTADECANE

R.T.: 11.058 min
Delta R.T.: -0.008 min
Response: 5312351
Conc: 42.39 ug/ml




#7 N-EICOSANE

R.T.: 12.365 min
Delta R.T.: -0.009 min
Response: 5219884
Conc: 41.96 ug/ml




#8 N-DOCOSANE

R.T.: 13.560 min
Delta R.T.: -0.009 min
Response: 5172489
Conc: 41.95 ug/ml




#9 TETRACOSANE-d50 (SURROGATE)

R.T.: 14.459 min
Delta R.T.: -0.007 min
Response: 4523955
Conc: 42.00 ug/ml




#10 N-TETRACOSANE

R.T.: 14.662 min
Delta R.T.: -0.008 min
Response: 5186998
Conc: 42.55 ug/ml



#11 N-HEXACOSANE

R.T.: 15.682 min
Delta R.T.: -0.007 min
Response: 5208226
Conc: 42.97 ug/ml



#12 N-OCTACOSANE

R.T.: 16.631 min
Delta R.T.: -0.006 min
Response: 5365150
Conc: 44.53 ug/ml