

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF071819\
 Data File : FF005092.D
 Signal(s) : FID2B.ch
 Acq On : 18 Jul 2019 10:47
 Operator : DD\AJ
 Sample : 50 PPM TRPH STD
 Misc :
 ALS Vial : 53 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Jul 19 00:40:14 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF062619.M
 Quant Title :
 QLast Update : Wed Jun 26 14:27:24 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	14.678	5259052	54.073 ug/ml
Target Compounds			
2) N-DECANE	4.391	6042786	47.852 ug/ml
3) N-DODECANE	6.415	6103555	48.104 ug/ml
4) N-TETRADECANE	8.210	6069224	48.504 ug/ml
5) N-HEXADECANE	9.812	6072933	49.183 ug/ml
6) N-OCTADECANE	11.257	5981037	50.486 ug/ml
7) N-EICOSANE	12.571	6005808	51.763 ug/ml
8) N-DOCOSANE	13.775	5969136	53.052 ug/ml
10) N-TETRACOSANE	14.883	6004200	53.939 ug/ml
11) N-HEXACOSANE	15.910	5999601	54.243 ug/ml
12) N-OCTACOSANE	16.865	6110400	54.783 ug/ml


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF071819\
Data File : FF005092.D
Signal(s) : FID2B.ch
Acq On : 18 Jul 2019 10:47
Operator : DD\AJ
Sample : 50 PPM TRPH STD
Misc :
ALS Vial : 53 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Jul 19 00:40:14 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF062619.M
Quant Title :
QLast Update : Wed Jun 26 14:27:24 2019
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#2 N-DECANE

R.T.: 4.391 min
Delta R.T.: -0.015 min
Response: 6042786
Conc: 47.85 ug/ml




#3 N-DODECANE

R.T.: 6.415 min
Delta R.T.: -0.014 min
Response: 6103555
Conc: 48.10 ug/ml




#4 N-TETRADECANE

R.T.: 8.210 min
Delta R.T.: -0.014 min
Response: 6069224
Conc: 48.50 ug/ml




#5 N-HEXADECANE

R.T.: 9.812 min
Delta R.T.: -0.014 min
Response: 6072933
Conc: 49.18 ug/ml




#6 N-OCTADECANE

R.T.: 11.257 min
Delta R.T.: -0.014 min
Response: 5981037
Conc: 50.49 ug/ml




#7 N-EICOSANE

R.T.: 12.571 min
Delta R.T.: -0.014 min
Response: 6005808
Conc: 51.76 ug/ml




#8 N-DOCOSANE

R.T.: 13.775 min
Delta R.T.: -0.014 min
Response: 5969136
Conc: 53.05 ug/ml




#9 TETRACOSANE-d50 (SURROGATE)

R.T.: 14.678 min
Delta R.T.: -0.013 min
Response: 5259052
Conc: 54.07 ug/ml




#10 N-TETRACOSANE

R.T.: 14.883 min
Delta R.T.: -0.014 min
Response: 6004200
Conc: 53.94 ug/ml



#11 N-HEXACOSANE

R.T.: 15.910 min
Delta R.T.: -0.013 min
Response: 5999601
Conc: 54.24 ug/ml



#12 N-OCTACOSANE

R.T.: 16.865 min
Delta R.T.: -0.012 min
Response: 6110400
Conc: 54.78 ug/ml