

rteres

Instrument :
FID_F
ClientSampleId :
LOD-MDL-WATER-01-QT3-2024
Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF07312
Data File : FF014325.D
Signal(s) : FID2B.ch
Acq On : 31 Jul 2024 12:51
Sample : P3390-07
Misc : 1 PPM WATER LOD
ALS Vial : 66 Sample Multiplier: 1

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 08/01/2024
Supervised By :Ankita Jodhani 08/01/2024

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF072324.M
Title :

Signal : FID2B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.471	4.447	4.513	BB	8612	100341	6.69%	4.047%
2	6.638	6.613	6.683	BB	5631	74576	4.97%	3.008%
3	8.473	8.443	8.573	M	3070	76247	5.08%	3.076%
4	10.080	10.054	10.190	M	3226	83304	5.55%	3.360%
5	11.518	11.489	11.569	BB	4466	78913	5.26%	3.183%
6	12.824	12.797	12.876	BB	6009	98500	6.56%	3.973%
7	14.020	13.988	14.073	BB	7422	111268	7.42%	4.488%
8	14.919	14.881	15.026	BB	91754	1500401	100.00%	60.521%
9	15.123	15.086	15.175	BB	7346	118043	7.87%	4.761%
10	16.151	16.122	16.210	BB	5955	112692	7.51%	4.546%
11	17.102	17.054	17.163	BB	6706	124860	8.32%	5.036%
Sum of corrected areas:						2479145		

FF072324.M Thu Aug 01 03:09:03 2024