

rteres

Instrument :
FID_F
ClientSampleId :
LOD-MDL-WATER-04-QT3-2024
Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 08/01/2024
Supervised By :Ankita Jodhani 08/01/2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF07312
Data File : FF014338.D
Signal(s) : FID2B.ch
Acq On : 31 Jul 2024 19:16
Sample : P3390-10
Misc : 1 PPM WATER LOD
ALS Vial : 16 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF072324.M
Title :

Signal : FID2B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	1.960	1.924	2.010	BB	13075	149351	11.25%	4.303%
2	4.470	4.435	4.515	BB	11695	133206	10.04%	3.837%
3	6.637	6.611	6.687	BB	8281	105132	7.92%	3.029%
4	8.468	8.442	8.523	BB	4347	79340	5.98%	2.286%
5	10.076	10.047	10.125	BB	4227	75124	5.66%	2.164%
6	11.515	11.480	11.576	BB	6029	109021	8.21%	3.141%
7	12.824	12.795	12.884	BB	7777	130488	9.83%	3.759%
8	14.019	13.986	14.071	BB	9185	136984	10.32%	3.946%
9	14.918	14.880	15.031	BB	79575	1327368	100.00%	38.239%
10	15.124	15.084	15.182	BB	9329	149413	11.26%	4.304%
11	16.151	16.115	16.212	BB	7740	140916	10.62%	4.060%
12	17.101	17.057	17.160	BB	8100	150430	11.33%	4.334%
13	17.988	17.940	18.050	BB	9088	172280	12.98%	4.963%
14	18.821	18.775	18.890	BB	9093	185038	13.94%	5.331%
15	19.605	19.559	19.670	BB	7770	157127	11.84%	4.527%
16	20.351	20.296	20.415	BB	5243	124520	9.38%	3.587%
17	21.078	21.031	21.228	M	3109	105984	7.98%	3.053%
18	21.968	21.908	22.047	M	939	39511	2.98%	1.138%
Sum of corrected areas:						3471232		

FF072324.M Thu Aug 01 03:14:48 2024