

rteres

Instrument :
FID_F
ClientSampleId :
LOD-MDL-WATER-04-QT3-2024
Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 08/01/2024
Supervised By :Ankita Jodhani 08/01/2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF07312
Data File : FF014339.D
Signal(s) : FID2B.ch
Acq On : 31 Jul 2024 19:45
Sample : P3390-10
Misc : 2.5 PPM WATER LOD
ALS Vial : 17 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF072324.M
Title :

Signal : FID2B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	1.959	1.924	2.018	BB	26044	297606	18.96%	5.196%
2	4.469	4.433	4.519	BB	25665	292640	18.65%	5.109%
3	6.635	6.603	6.694	BB	22003	267976	17.08%	4.679%
4	8.463	8.434	8.531	BB	16342	243392	15.51%	4.249%
5	10.070	10.039	10.150	BB	15098	250494	15.96%	4.373%
6	11.511	11.482	11.586	BB	17420	278085	17.72%	4.855%
7	12.820	12.791	12.892	BB	19394	297740	18.97%	5.198%
8	14.019	13.984	14.082	BB	20165	297447	18.95%	5.193%
9	14.917	14.875	15.015	BB	102726	1569403	100.00%	27.401%
10	15.123	15.082	15.185	BB	19780	299932	19.11%	5.237%
11	16.146	16.113	16.213	BB	16886	283547	18.07%	4.951%
12	17.096	17.050	17.169	BB	16313	283355	18.05%	4.947%
13	17.985	17.940	18.057	BB	16261	289611	18.45%	5.056%
14	18.821	18.772	18.897	BB	13669	269427	17.17%	4.704%
15	19.606	19.557	19.677	BB	9288	196221	12.50%	3.426%
16	20.350	20.296	20.437	BB	5508	148295	9.45%	2.589%
17	21.078	21.019	21.191	M	3184	112774	7.19%	1.969%
18	21.972	21.905	22.075	M	1099	49690	3.17%	0.868%
Sum of corrected areas:						5727633		

FF072324.M Thu Aug 01 03:15:21 2024