

rteres

Instrument :

FID_F

ClientSampleId :

LOQ-WATER-05-QT3-2024

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 08/01/2024

Supervised By :Ankita Jodhani 08/01/2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF07312
Data File : FF014340.D
Signal(s) : FID2B.ch
Acq On : 31 Jul 2024 20:15
Sample : P3390-11
Misc : 5 PPM WATER LOQ
ALS Vial : 18 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF072324.M
Title :

Signal : FID2B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	1.958	1.924	2.023	BB	50392	589853	36.66%	5.923%
2	4.468	4.433	4.529	BB	56292	620938	38.60%	6.235%
3	6.633	6.601	6.705	BB	52364	607911	37.79%	6.104%
4	8.461	8.428	8.534	BB	45013	579692	36.03%	5.821%
5	10.066	10.039	10.157	BB	41265	582793	36.23%	5.852%
6	11.508	11.469	11.590	BB	44818	618577	38.45%	6.211%
7	12.818	12.785	12.896	BB	44231	626847	38.96%	6.294%
8	14.016	13.983	14.087	BB	44605	611112	37.99%	6.136%
9	14.916	14.877	14.999	BB	113111	1608785	100.00%	16.155%
10	15.120	15.081	15.195	BB	43050	606415	37.69%	6.089%
11	16.143	16.102	16.216	BB	39052	578511	35.96%	5.809%
12	17.092	17.051	17.178	BB	36511	568985	35.37%	5.713%
13	17.981	17.929	18.059	BB	33784	557171	34.63%	5.595%
14	18.817	18.770	18.899	BB	28497	489100	30.40%	4.911%
15	19.602	19.551	19.682	BB	17278	343713	21.36%	3.451%
16	20.347	20.294	20.421	BB	8916	201883	12.55%	2.027%
17	21.075	21.021	21.138	BB	3407	92195	5.73%	0.926%
18	21.985	21.890	22.106	M	1251	74249	4.62%	0.746%
Sum of corrected areas:						9958731		

FF072324.M Thu Aug 01 03:15:49 2024