

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF080618\
 Data File : FF001686.D
 Signal(s) : FID2B.ch
 Acq On : 06 Aug 2018 18:03
 Operator : AJ\SJ
 Sample : J4307-03
 Misc :
 ALS Vial : 61 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Aug 07 01:45:02 2018
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\C44-FF080418.M
 Quant Title :
 QLast Update : Mon Aug 06 12:04:39 2018
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20m x 0.18mm x 0.18um

	Compound	R.T.	Response	Conc Units

System Monitoring Compounds				
13) S	TETRACOSANE-d50 (SURR...	14.335	8074272	20.030 ug/ml
Target Compounds				
4)	N-UNDECANE	5.161	346080	1.133 ug/ml
6)	N-TETRADECANE	7.971	2258721	7.238 ug/ml
7)	N-HEXADECANE	9.501	239805	0.762 ug/ml
8)	N-OCTADECANE	10.934	381833	1.211 ug/ml
9)	N-EICOSANE	12.286	2376167	7.532 ug/ml
10)	N-TETRACOSANE	14.505	2025774	6.377 ug/ml
11)	N-OCTACOSANE	16.498	493407	1.533 ug/ml
12)	N-DOTRIACONTANE	18.212	858017	2.630 ug/ml


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF080618\
Data File : FF001686.D
Signal(s) : FID2B.ch
Acq On : 06 Aug 2018 18:03
Operator : AJ\SJ
Sample : J4307-03
Misc :
ALS Vial : 61 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Aug 07 01:45:02 2018
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\C44-FF080418.M
Quant Title :
QLast Update : Mon Aug 06 12:04:39 2018
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20m x 0.18mm x 0.18um






#4 N-UNDECANE

R.T.: 5.161 min
Delta R.T.: -0.044 min
Response: 346080
Conc: 1.13 ug/ml




#6 N-TETRADECANE

R.T.: 7.971 min
Delta R.T.: 0.004 min
Response: 2258721
Conc: 7.24 ug/ml




#7 N-HEXADECANE

R.T.: 9.501 min
Delta R.T.: -0.057 min
Response: 239805
Conc: 0.76 ug/ml




#8 N-OCTADECANE

R.T.: 10.934 min
Delta R.T.: -0.041 min
Response: 381833
Conc: 1.21 ug/ml




#9 N-EICOSANE

R.T.: 12.286 min
Delta R.T.: 0.024 min
Response: 2376167
Conc: 7.53 ug/ml




#10 N-TETRACOSANE

R.T.: 14.505 min
Delta R.T.: -0.053 min
Response: 2025774
Conc: 6.38 ug/ml




#11 N-OCTACOSANE

R.T.: 16.498 min
Delta R.T.: -0.017 min
Response: 493407
Conc: 1.53 ug/ml



#12 N-DOTRIACONTANE

R.T.: 18.212 min
Delta R.T.: -0.019 min
Response: 858017
Conc: 2.63 ug/ml



#13 TETRACOSANE-d50 (SURROGATE)

R.T.: 14.335 min
Delta R.T.: -0.014 min
Response: 8074272
Conc: 20.03 ug/ml