

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF080819\
 Data File : FF005208.D
 Signal(s) : FID2B.ch
 Acq On : 08 Aug 2019 16:45
 Operator : DD\AJ
 Sample : PB122035BS
 Misc :
 ALS Vial : 62 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Aug 08 17:05:24 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF073019.M
 Quant Title :
 QLast Update : Tue Jul 30 14:33:00 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	14.656	2172577	19.728 ug/ml
Target Compounds			
2) N-DECANE	4.376	3472911	24.105 ug/ml
3) N-DODECANE	6.397	3475413	23.819 ug/ml
4) N-TETRADECANE	8.191	3382451	23.500 ug/ml
5) N-HEXADECANE	9.793	3303457	23.299 ug/ml
6) N-OCTADECANE	11.237	3200969	23.378 ug/ml
7) N-EICOSANE	12.551	3087833	23.014 ug/ml
8) N-DOCOSANE	13.753	2983243	23.059 ug/ml
10) N-TETRACOSANE	14.860	2965924	23.541 ug/ml
11) N-HEXACOSANE	15.886	2932048	23.729 ug/ml
12) N-OCTACOSANE	16.841	2990100	23.937 ug/ml


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF080819\
Data File : FF005208.D
Signal(s) : FID2B.ch
Acq On : 08 Aug 2019 16:45
Operator : DD\AJ
Sample : PB122035BS
Misc :
ALS Vial : 62 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Aug 08 17:05:24 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF073019.M
Quant Title :
QLast Update : Tue Jul 30 14:33:00 2019
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#2 N-DECANE

R.T.: 4.376 min
Delta R.T.: -0.005 min
Response: 3472911
Conc: 24.11 ug/ml




#3 N-DODECANE

R.T.: 6.397 min
Delta R.T.: -0.005 min
Response: 3475413
Conc: 23.82 ug/ml




#4 N-TETRADECANE

R.T.: 8.191 min
Delta R.T.: -0.005 min
Response: 3382451
Conc: 23.50 ug/ml




#5 N-HEXADECANE

R.T.: 9.793 min
Delta R.T.: -0.005 min
Response: 3303457
Conc: 23.30 ug/ml




#6 N-OCTADECANE

R.T.: 11.237 min
Delta R.T.: -0.004 min
Response: 3200969
Conc: 23.38 ug/ml




#7 N-EICOSANE

R.T.: 12.551 min
Delta R.T.: -0.003 min
Response: 3087833
Conc: 23.01 ug/ml




#8 N-DOCOSANE

R.T.: 13.753 min
Delta R.T.: -0.003 min
Response: 2983243
Conc: 23.06 ug/ml




#9 TETRACOSANE-d50 (SURROGATE)

R.T.: 14.656 min
Delta R.T.: -0.002 min
Response: 2172577
Conc: 19.73 ug/ml




#10 N-TETRACOSANE

R.T.: 14.860 min
Delta R.T.: -0.004 min
Response: 2965924
Conc: 23.54 ug/ml



#11 N-HEXACOSANE

R.T.: 15.886 min
Delta R.T.: -0.004 min
Response: 2932048
Conc: 23.73 ug/ml



#12 N-OCTACOSANE

R.T.: 16.841 min
Delta R.T.: -0.003 min
Response: 2990100
Conc: 23.94 ug/ml