

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF081624\
 Data File : FF014432.D
 Signal(s) : FID2B.ch
 Acq On : 16 Aug 2024 10:50
 Operator : YP\AJ
 Sample : 5 TRPH STD
 Misc :
 ALS Vial : 65 Sample Multiplier: 1

Instrument :
 FID_F
 ClientSampleId :
 5 TRPH STD

Integration File: autoint1.e
 Quant Time: Aug 16 11:10:56 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF081624.M
 Quant Title :
 QLast Update : Fri Aug 16 11:03:33 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	14.905	664789	5.632 ug/ml
Target Compounds			
1) N-OCTANE	1.957	706280	5.724 ug/ml
2) N-DECANE	4.457	681081	5.519 ug/ml
3) N-DODECANE	6.622	671102	5.413 ug/ml
4) N-TETRADECANE	8.449	685733	5.462 ug/ml
5) N-HEXADECANE	10.055	634855	5.137 ug/ml
6) N-OCTADECANE	11.497	695768	5.354 ug/ml
7) N-EICOSANE	12.807	754611	5.590 ug/ml
8) N-DOCOSANE	14.004	733333	5.574 ug/ml
10) N-TETRACOSANE	15.108	745408	5.633 ug/ml
11) N-HEXACOSANE	16.129	736703	5.616 ug/ml
12) N-OCTACOSANE	17.079	722433	5.594 ug/ml
13) N-TRIACONTANE	17.966	738179	5.655 ug/ml
14) N-DOTRIACONTANE	18.797	782738	5.961 ug/ml
15) N-TETRATRIACONTANE	19.580	693652	5.642 ug/ml
16) N-HEXATRIACONTANE	20.320	627495	5.661 ug/ml
17) N-OCTATRIACONTANE	21.042	556896	5.492 ug/ml
18) N-TETRACONTANE	21.921	458875	5.283 ug/ml

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF081624\
Data File : FF014432.D
Signal(s) : FID2B.ch
Acq On : 16 Aug 2024 10:50
Operator : YP\AJ
Sample : 5 TRPH STD
Misc :
ALS Vial : 65 Sample Multiplier: 1

Instrument :
FID_F
ClientSampleId :
5 TRPH STD

Integration File: autoint1.e
Quant Time: Aug 16 11:10:56 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF081624.M
Quant Title :
QLast Update : Fri Aug 16 11:03:33 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um

