

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF091522\
 Data File : FF011464.D
 Signal(s) : FID2B.ch
 Acq On : 15 Sep 2022 16:48
 Operator : YP\AJ
 Sample : N4630-24MSD 10X
 Misc :
 ALS Vial : 62 Sample Multiplier: 1

Instrument :
 FID_F
 ClientSampleId :

Integration File: autoint1.e
 Quant Time: Sep 16 03:31:31 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF082722.M
 Quant Title :
 QLast Update : Mon Aug 29 01:24:29 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	14.783	182869	1.631 ug/ml
Target Compounds			
1) N-OCTANE	1.843	216147	1.691 ug/ml
2) N-DECANE	4.344	270886	2.088 ug/ml
3) N-DODECANE	6.513	282649	2.158 ug/ml
4) N-TETRADECANE	8.337	274530	2.090 ug/ml
5) N-HEXADECANE	9.939	378521	2.854 ug/ml
6) N-OCTADECANE	11.380	498698	3.752 ug/ml
7) N-EICOSANE	12.687	418330	3.180 ug/ml
8) N-DOCOSANE	13.883	362816	2.839 ug/ml
10) N-TETRACOSANE	14.984	309812	2.433 ug/ml
11) N-HEXACOSANE	16.007	354804	2.841 ug/ml
12) N-OCTACOSANE	16.954	430866	3.518 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF091522\
Data File : FF011464.D
Signal(s) : FID2B.ch
Acq On : 15 Sep 2022 16:48
Operator : YP\AJ
Sample : N4630-24MSD 10X
Misc :
ALS Vial : 62 Sample Multiplier: 1

Instrument :
FID_F
ClientSampleId :

Integration File: autoint1.e
Quant Time: Sep 16 03:31:31 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF082722.M
Quant Title :
QLast Update : Mon Aug 29 01:24:29 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#1 N-OCTANE


R.T.: 1.843 min
Delta R.T.: -0.005 min
Response: 216147
Conc: 1.69 ug/ml

Instrument :
FID_F
ClientSampleId :




#2 N-DECANE

R.T.: 4.344 min
Delta R.T.: -0.006 min
Response: 270886
Conc: 2.09 ug/ml




#3 N-DODECANE

R.T.: 6.513 min
Delta R.T.: -0.006 min
Response: 282649
Conc: 2.16 ug/ml



#4 N-TETRADECANE


R.T.: 8.337 min
Delta R.T.: -0.007 min
Response: 274530
Conc: 2.09 ug/ml



#5 N-HEXADECANE


R.T.: 9.939 min
Delta R.T.: -0.008 min
Response: 378521
Conc: 2.85 ug/ml

Instrument :
FID_F
ClientSampleId :




#6 N-OCTADECANE

R.T.: 11.380 min
Delta R.T.: -0.006 min
Response: 498698
Conc: 3.75 ug/ml




#7 N-EICOSANE

R.T.: 12.687 min
Delta R.T.: -0.005 min
Response: 418330
Conc: 3.18 ug/ml



#8 N-DOCOSANE


R.T.: 13.883 min
Delta R.T.: -0.003 min
Response: 362816
Conc: 2.84 ug/ml



#9 TETRACOSANE-d50 (SURROGATE)


R.T.: 14.783 min
Delta R.T.: -0.001 min
Response: 182869
Conc: 1.63 ug/ml

Instrument :
FID_F
ClientSampleId :




#10 N-TETRACOSANE

R.T.: 14.984 min
Delta R.T.: -0.003 min
Response: 309812
Conc: 2.43 ug/ml



#11 N-HEXACOSANE

R.T.: 16.007 min
Delta R.T.: 0.000 min
Response: 354804
Conc: 2.84 ug/ml



#12 N-OCTACOSANE

R.T.: 16.954 min
Delta R.T.: 0.000 min
Response: 430866
Conc: 3.52 ug/ml