

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF092519\
 Data File : FF005667.D
 Signal(s) : FID2B.ch
 Acq On : 25 Sep 2019 18:11
 Operator : DD\AJ
 Sample : 50 PPM TRPH STD
 Misc :
 ALS Vial : 53 Sample Multiplier: 1

Instrument :
 FID_F
 ClientSampleId :

Integration File: autoint1.e
 Quant Time: Sep 26 01:00:00 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF090319.M
 Quant Title :
 QLast Update : Wed Sep 04 03:16:00 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	14.617	5625798	52.573 ug/ml
Target Compounds			
2) N-DECANE	4.342	7437253	52.019 ug/ml
3) N-DODECANE	6.362	7238447	50.495 ug/ml
4) N-TETRADECANE	8.155	6960427	49.367 ug/ml
5) N-HEXADECANE	9.755	6835259	48.871 ug/ml
6) N-OCTADECANE	11.199	6581348	48.916 ug/ml
7) N-EICOSANE	12.512	6487560	49.468 ug/ml
8) N-DOCOSANE	13.713	6383838	50.703 ug/ml
10) N-TETRACOSANE	14.820	6491317	53.079 ug/ml
11) N-HEXACOSANE	15.846	6603302	55.163 ug/ml
12) N-OCTACOSANE	16.801	6819500	57.151 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF092519\
Data File : FF005667.D
Signal(s) : FID2B.ch
Acq On : 25 Sep 2019 18:11
Operator : DD\AJ
Sample : 50 PPM TRPH STD
Misc :
ALS Vial : 53 Sample Multiplier: 1

Instrument :
FID_F
ClientSampleId :

Integration File: autoint1.e
Quant Time: Sep 26 01:00:00 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF090319.M
Quant Title :
QLast Update : Wed Sep 04 03:16:00 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#2 N-DECANE


R.T.: 4.342 min
Delta R.T.: -0.017 min
Response: 7437253
Conc: 52.02 ug/ml

Instrument :
FID_F
ClientSampleId :




#3 N-DODECANE

R.T.: 6.362 min
Delta R.T.: -0.018 min
Response: 7238447
Conc: 50.50 ug/ml




#4 N-TETRADECANE

R.T.: 8.155 min
Delta R.T.: -0.018 min
Response: 6960427
Conc: 49.37 ug/ml



#5 N-HEXADECANE


R.T.: 9.755 min
Delta R.T.: -0.019 min
Response: 6835259
Conc: 48.87 ug/ml



#6 N-OCTADECANE


R.T.: 11.199 min
Delta R.T.: -0.018 min
Response: 6581348
Conc: 48.92 ug/ml

Instrument :
FID_F
ClientSampleId :




#7 N-EICOSANE

R.T.: 12.512 min
Delta R.T.: -0.018 min
Response: 6487560
Conc: 49.47 ug/ml




#8 N-DOCOSANE

R.T.: 13.713 min
Delta R.T.: -0.018 min
Response: 6383838
Conc: 50.70 ug/ml



#9 TETRACOSANE-d50 (SURROGATE)


R.T.: 14.617 min
Delta R.T.: -0.018 min
Response: 5625798
Conc: 52.57 ug/ml



#10 N-TETRACOSANE


R.T.: 14.820 min
Delta R.T.: -0.019 min
Response: 6491317
Conc: 53.08 ug/ml

Instrument :
FID_F
ClientSampleId :



#11 N-HEXACOSANE

R.T.: 15.846 min
Delta R.T.: -0.018 min
Response: 6603302
Conc: 55.16 ug/ml



#12 N-OCTACOSANE

R.T.: 16.801 min
Delta R.T.: -0.018 min
Response: 6819500
Conc: 57.15 ug/ml