

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF100318\
 Data File : FF002315.D
 Signal(s) : FID2B.ch
 Acq On : 03 Oct 2018 11:19
 Operator : AJ\SJ
 Sample : 50 PPM TRPH STD
 Misc :
 ALS Vial : 53 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Oct 04 04:54:21 2018
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF100118.M
 Quant Title :
 QLast Update : Mon Oct 01 12:14:42 2018
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	14.646	7343726	51.490 ug/ml
Target Compounds			
2) N-DECANE	4.388	8715215	53.802 ug/ml
3) N-DODECANE	6.408	8836133	53.714 ug/ml
4) N-TETRADECANE	8.200	8900724	53.434 ug/ml
5) N-HEXADECANE	9.799	8911643	53.212 ug/ml
6) N-OCTADECANE	11.240	8872634	52.842 ug/ml
7) N-EICOSANE	12.549	8678371	52.401 ug/ml
8) N-DOCOSANE	13.746	8460266	51.849 ug/ml
10) N-TETRACOSANE	14.849	8229650	51.467 ug/ml
11) N-HEXACOSANE	15.870	7972328	50.900 ug/ml
12) N-OCTACOSANE	16.819	7741743	50.610 ug/ml


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF100318\
Data File : FF002315.D
Signal(s) : FID2B.ch
Acq On : 03 Oct 2018 11:19
Operator : AJ\SJ
Sample : 50 PPM TRPH STD
Misc :
ALS Vial : 53 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Oct 04 04:54:21 2018
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF100118.M
Quant Title :
QLast Update : Mon Oct 01 12:14:42 2018
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#2 N-DECANE

R.T.: 4.388 min
Delta R.T.: -0.003 min
Response: 8715215
Conc: 53.80 ug/ml




#3 N-DODECANE

R.T.: 6.408 min
Delta R.T.: -0.002 min
Response: 8836133
Conc: 53.71 ug/ml




#4 N-TETRADECANE

R.T.: 8.200 min
Delta R.T.: -0.001 min
Response: 8900724
Conc: 53.43 ug/ml




#5 N-HEXADECANE

R.T.: 9.799 min
Delta R.T.: 0.000 min
Response: 8911643
Conc: 53.21 ug/ml




#6 N-OCTADECANE

R.T.: 11.240 min
Delta R.T.: 0.001 min
Response: 8872634
Conc: 52.84 ug/ml




#7 N-EICOSANE

R.T.: 12.549 min
Delta R.T.: 0.003 min
Response: 8678371
Conc: 52.40 ug/ml




#8 N-DOCOSANE

R.T.: 13.746 min
Delta R.T.: 0.003 min
Response: 8460266
Conc: 51.85 ug/ml




#9 TETRACOSANE-d50 (SURROGATE)

R.T.: 14.646 min
Delta R.T.: 0.006 min
Response: 7343726
Conc: 51.49 ug/ml




#10 N-TETRACOSANE

R.T.: 14.849 min
Delta R.T.: 0.005 min
Response: 8229650
Conc: 51.47 ug/ml



#11 N-HEXACOSANE

R.T.: 15.870 min
Delta R.T.: 0.006 min
Response: 7972328
Conc: 50.90 ug/ml



#12 N-OCTACOSANE

R.T.: 16.819 min
Delta R.T.: 0.006 min
Response: 7741743
Conc: 50.61 ug/ml