

rteres

Instrument :
FID_F
ClientSampleId :
LOD-MDL-WATER-04-QT4-2024
Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 10/11/2024
Supervised By :Ankita Jodhani 10/11/2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF10102
Data File : FF014624.D
Signal(s) : FID2B.ch
Acq On : 10 Oct 2024 16:39
Sample : P4368-10
Misc : 2.5 PPM WATER LOD
ALS Vial : 12 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF100324.M
Title :

Signal : FID2B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	1.941	1.912	2.005	BB	25982	297290	13.11%	3.552%
2	4.444	4.415	4.507	BB	25816	295785	13.04%	3.534%
3	6.610	6.580	6.690	BB	22868	288688	12.73%	3.450%
4	8.437	8.404	8.539	BB	18045	298714	13.17%	3.569%
5	10.044	10.009	10.144	BB	18892	297523	13.12%	3.555%
6	11.483	11.437	11.572	BB	22850	344196	15.18%	4.113%
7	12.790	12.755	12.869	BB	25355	365533	16.12%	4.368%
8	13.985	13.947	14.059	BB	27235	380442	16.77%	4.546%
9	14.883	14.842	14.995	BB	158703	2267923	100.00%	27.099%
10	15.087	15.052	15.164	BB	27133	387172	17.07%	4.626%
11	16.109	16.074	16.190	BB	23536	364322	16.06%	4.353%
12	17.058	16.997	17.142	BB	22694	355790	15.69%	4.251%
13	17.945	17.897	18.037	BB	21110	363124	16.01%	4.339%
14	18.778	18.719	18.869	BB	15649	304840	13.44%	3.643%
15	19.564	19.510	19.650	BB	9008	195865	8.64%	2.340%
16	20.336	20.240	20.480	BB	15515	771101	34.00%	9.214%
17	21.025	20.987	21.121	M	2527	80285	3.54%	0.959%
18	21.731	21.607	21.861	M	9898	710367	31.32%	8.488%
Sum of corrected areas:						8368960		

FF100324.M Fri Oct 11 02:10:23 2024