

rteres

Instrument :
FID_F
ClientSampleId :
LOD-MDL-WATER-01-QT4-2024
Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF10112
Data File : FF014634.D
Signal(s) : FID2B.ch
Acq On : 11 Oct 2024 10:33
Sample : P4368-07
Misc : 1 PPM WATER LOD
ALS Vial : 62 Sample Multiplier: 1

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 10/14/2024
Supervised By :Ankita Jodhani 10/14/2024

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF100324.M
Title :

Signal : FID2B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.448	4.419	4.507	BB	7264	99075	4.35%	2.845%
2	6.617	6.586	6.682	BB	4280	72793	3.20%	2.091%
3	8.462	8.415	8.710	M	3119	129360	5.68%	3.715%
4	10.057	10.024	10.142	BB	3784	86475	3.80%	2.484%
5	11.490	11.452	11.569	BB	5814	115634	5.08%	3.321%
6	12.794	12.761	12.874	BB	7987	137402	6.03%	3.946%
7	13.987	13.949	14.057	BB	9266	150821	6.62%	4.332%
8	14.883	14.841	15.034	BB	144144	2277757	100.00%	65.418%
9	15.088	15.054	15.164	BB	8667	152118	6.68%	4.369%
10	16.122	16.072	16.202	BB	6167	131992	5.79%	3.791%
11	17.070	17.026	17.151	BB	6150	128422	5.64%	3.688%
Sum of corrected areas:						3481848		

FF100324.M Mon Oct 14 02:49:46 2024