

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF101520\
 Data File : FF007717.D
 Signal(s) : FID2B.ch
 Acq On : 15 Oct 2020 09:12
 Operator : DD\AJ
 Sample : 50 PPM TRPH STD
 Misc :
 ALS Vial : 53 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Oct 16 00:57:53 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF100220.M
 Quant Title :
 QLast Update : Mon Oct 05 15:41:23 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	14.733	5466578	43.438 ug/ml
Target Compounds			
2) N-DECANE	4.447	7272271	51.270 ug/ml
3) N-DODECANE	6.474	7306083	50.563 ug/ml
4) N-TETRADECANE	8.271	7187531	49.299 ug/ml
5) N-HEXADECANE	9.873	7193184	48.113 ug/ml
6) N-OCTADECANE	11.318	7058503	46.851 ug/ml
7) N-EICOSANE	12.630	6788454	45.661 ug/ml
8) N-DOCOSANE	13.832	6470878	44.362 ug/ml
10) N-TETRACOSANE	14.937	6218119	43.106 ug/ml
11) N-HEXACOSANE	15.961	5887207	42.379 ug/ml
12) N-OCTACOSANE	16.912	5671753	42.347 ug/ml


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF101520\
Data File : FF007717.D
Signal(s) : FID2B.ch
Acq On : 15 Oct 2020 09:12
Operator : DD\AJ
Sample : 50 PPM TRPH STD
Misc :
ALS Vial : 53 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Oct 16 00:57:53 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF100220.M
Quant Title :
QLast Update : Mon Oct 05 15:41:23 2020
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#2 N-DECANE

R.T.: 4.447 min
Delta R.T.: -0.002 min
Response: 7272271
Conc: 51.27 ug/ml




#3 N-DODECANE

R.T.: 6.474 min
Delta R.T.: -0.002 min
Response: 7306083
Conc: 50.56 ug/ml




#4 N-TETRADECANE

R.T.: 8.271 min
Delta R.T.: -0.002 min
Response: 7187531
Conc: 49.30 ug/ml




#5 N-HEXADECANE

R.T.: 9.873 min
Delta R.T.: -0.003 min
Response: 7193184
Conc: 48.11 ug/ml




#6 N-OCTADECANE

R.T.: 11.318 min
Delta R.T.: -0.002 min
Response: 7058503
Conc: 46.85 ug/ml




#7 N-EICOSANE

R.T.: 12.630 min
Delta R.T.: -0.003 min
Response: 6788454
Conc: 45.66 ug/ml




#8 N-DOCOSANE

R.T.: 13.832 min
Delta R.T.: -0.004 min
Response: 6470878
Conc: 44.36 ug/ml




#9 TETRACOSANE-d50 (SURROGATE)

R.T.: 14.733 min
Delta R.T.: -0.002 min
Response: 5466578
Conc: 43.44 ug/ml




#10 N-TETRACOSANE

R.T.: 14.937 min
Delta R.T.: -0.004 min
Response: 6218119
Conc: 43.11 ug/ml



#11 N-HEXACOSANE

R.T.: 15.961 min
Delta R.T.: -0.003 min
Response: 5887207
Conc: 42.38 ug/ml



#12 N-OCTACOSANE

R.T.: 16.912 min
Delta R.T.: -0.004 min
Response: 5671753
Conc: 42.35 ug/ml