

Data Path : \\74.0.250.170\Terastorage\pestpcbsrv\HPCHEM1\FID_F\Data\FF103118\
 Data File : FF002536.D
 Signal(s) : FID2B.ch
 Acq On : 31 Oct 2018 20:27
 Operator : AJ\SJ
 Sample : 50 PPM TRPH STD
 Misc :
 ALS Vial : 53 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Nov 01 04:41:49 2018
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF101218.M
 Quant Title :
 QLast Update : Fri Oct 12 13:21:40 2018
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	14.655	6219376	44.746 ug/ml
Target Compounds			
2) N-DECANE	4.379	8077980	52.882 ug/ml
3) N-DODECANE	6.402	8134510	52.533 ug/ml
4) N-TETRADECANE	8.196	8120842	51.896 ug/ml
5) N-HEXADECANE	9.797	8047544	51.204 ug/ml
6) N-OCTADECANE	11.241	7922613	49.852 ug/ml
7) N-EICOSANE	12.553	7660605	48.366 ug/ml
8) N-DOCOSANE	13.754	7396681	46.884 ug/ml
10) N-TETRACOSANE	14.859	7115686	45.482 ug/ml
11) N-HEXACOSANE	15.883	6910103	44.377 ug/ml
12) N-OCTACOSANE	16.835	6817137	43.949 ug/ml


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : \\74.0.250.170\Terastorage\pestpcbsrv\HPCHEM1\FID_F\Data\FF103118\
Data File : FF002536.D
Signal(s) : FID2B.ch
Acq On : 31 Oct 2018 20:27
Operator : AJ\SJ
Sample : 50 PPM TRPH STD
Misc :
ALS Vial : 53 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Nov 01 04:41:49 2018
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF101218.M
Quant Title :
QLast Update : Fri Oct 12 13:21:40 2018
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#2 N-DECANE

R.T.: 4.379 min
Delta R.T.: 0.004 min
Response: 8077980
Conc: 52.88 ug/ml




#3 N-DODECANE

R.T.: 6.402 min
Delta R.T.: 0.001 min
Response: 8134510
Conc: 52.53 ug/ml




#4 N-TETRADECANE

R.T.: 8.196 min
Delta R.T.: 0.000 min
Response: 8120842
Conc: 51.90 ug/ml




#5 N-HEXADECANE

R.T.: 9.797 min
Delta R.T.: -0.002 min
Response: 8047544
Conc: 51.20 ug/ml




#6 N-OCTADECANE

R.T.: 11.241 min
Delta R.T.: -0.001 min
Response: 7922613
Conc: 49.85 ug/ml




#7 N-EICOSANE

R.T.: 12.553 min
Delta R.T.: -0.001 min
Response: 7660605
Conc: 48.37 ug/ml




#8 N-DOCOSANE

R.T.: 13.754 min
Delta R.T.: -0.001 min
Response: 7396681
Conc: 46.88 ug/ml




#9 TETRACOSANE-d50 (SURROGATE)

R.T.: 14.655 min
Delta R.T.: -0.002 min
Response: 6219376
Conc: 44.75 ug/ml




#10 N-TETRACOSANE

R.T.: 14.859 min
Delta R.T.: -0.002 min
Response: 7115686
Conc: 45.48 ug/ml



#11 N-HEXACOSANE

R.T.: 15.883 min
Delta R.T.: -0.002 min
Response: 6910103
Conc: 44.38 ug/ml



#12 N-OCTACOSANE

R.T.: 16.835 min
Delta R.T.: 0.000 min
Response: 6817137
Conc: 43.95 ug/ml