

Data Path : \\74.0.250.170\Terastorage\pestpcbsrv\HPCHEM1\FID_F\Data\FF110118\
 Data File : FF002550.D
 Signal(s) : FID2B.ch
 Acq On : 01 Nov 2018 18:40
 Operator : AJ\SJ
 Sample : 50 PPM TRPH STD
 Misc :
 ALS Vial : 53 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Nov 02 00:56:35 2018
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF101218.M
 Quant Title :
 QLast Update : Fri Oct 12 13:21:40 2018
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	14.653	6203433	44.632 ug/ml
Target Compounds			
2) N-DECANE	4.378	8042414	52.649 ug/ml
3) N-DODECANE	6.400	8057970	52.039 ug/ml
4) N-TETRADECANE	8.194	7994924	51.091 ug/ml
5) N-HEXADECANE	9.796	7893325	50.222 ug/ml
6) N-OCTADECANE	11.239	7744262	48.729 ug/ml
7) N-EICOSANE	12.551	7465858	47.137 ug/ml
8) N-DOCOSANE	13.751	7188701	45.566 ug/ml
10) N-TETRACOSANE	14.857	6917333	44.214 ug/ml
11) N-HEXACOSANE	15.881	6756006	43.387 ug/ml
12) N-OCTACOSANE	16.833	6722686	43.340 ug/ml


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : \\74.0.250.170\Terastorage\pestpcbsrv\HPCHEM1\FID_F\Data\FF110118\
Data File : FF002550.D
Signal(s) : FID2B.ch
Acq On : 01 Nov 2018 18:40
Operator : AJ\SJ
Sample : 50 PPM TRPH STD
Misc :
ALS Vial : 53 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Nov 02 00:56:35 2018
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF101218.M
Quant Title :
QLast Update : Fri Oct 12 13:21:40 2018
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#2 N-DECANE

R.T.: 4.378 min
Delta R.T.: 0.003 min
Response: 8042414
Conc: 52.65 ug/ml




#3 N-DODECANE

R.T.: 6.400 min
Delta R.T.: 0.000 min
Response: 8057970
Conc: 52.04 ug/ml




#4 N-TETRADECANE

R.T.: 8.194 min
Delta R.T.: -0.002 min
Response: 7994924
Conc: 51.09 ug/ml




#5 N-HEXADECANE

R.T.: 9.796 min
Delta R.T.: -0.003 min
Response: 7893325
Conc: 50.22 ug/ml




#6 N-OCTADECANE

R.T.: 11.239 min
Delta R.T.: -0.003 min
Response: 7744262
Conc: 48.73 ug/ml




#7 N-EICOSANE

R.T.: 12.551 min
Delta R.T.: -0.004 min
Response: 7465858
Conc: 47.14 ug/ml




#8 N-DOCOSANE

R.T.: 13.751 min
Delta R.T.: -0.004 min
Response: 7188701
Conc: 45.57 ug/ml




#9 TETRACOSANE-d50 (SURROGATE)

R.T.: 14.653 min
Delta R.T.: -0.003 min
Response: 6203433
Conc: 44.63 ug/ml




#10 N-TETRACOSANE

R.T.: 14.857 min
Delta R.T.: -0.004 min
Response: 6917333
Conc: 44.21 ug/ml



#11 N-HEXACOSANE

R.T.: 15.881 min
Delta R.T.: -0.004 min
Response: 6756006
Conc: 43.39 ug/ml



#12 N-OCTACOSANE

R.T.: 16.833 min
Delta R.T.: -0.002 min
Response: 6722686
Conc: 43.34 ug/ml