

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF111418\
 Data File : FF002678.D
 Signal(s) : FID2B.ch
 Acq On : 14 Nov 2018 11:36
 Operator : AJ\SJ
 Sample : 50 TRPH STD
 Misc :
 ALS Vial : 54 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Nov 14 12:01:56 2018
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF111418.M
 Quant Title :
 QLast Update : Wed Nov 14 12:00:33 2018
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	14.649	3905810	50.000 ug/ml
Target Compounds			
1) N-OCTANE	2.258	6280059	50.000 ug/ml
2) N-DECANE	4.366	6244938	50.000 ug/ml
3) N-DODECANE	6.393	6060248	50.000 ug/ml
4) N-TETRADECANE	8.190	5775823	50.000 ug/ml
5) N-HEXADECANE	9.791	5466946	50.000 ug/ml
6) N-OCTADECANE	11.235	5190262	50.000 ug/ml
7) N-EICOSANE	12.548	4841183	50.000 ug/ml
8) N-DOCOSANE	13.748	4577863	50.000 ug/ml
10) N-TETRACOSANE	14.853	4454449	50.000 ug/ml
11) N-HEXACOSANE	15.875	4537649	50.000 ug/ml
12) N-OCTACOSANE	16.827	4768990	50.000 ug/ml
13) N-TRIACONTANE	17.717	4956810	50.000 ug/ml
14) N-DOTRIACONTANE	18.551	4949784	50.000 ug/ml
15) N-TETRATRIACONTANE	19.338	4935012	50.000 ug/ml
16) N-HEXATRIACONTANE	20.081	4764913	50.000 ug/ml
17) N-OCTATRIACONTANE	20.819	4394521	50.000 ug/ml
18) N-TETRACONTANE	21.724	4379751	50.000 ug/ml


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF111418\
Data File : FF002678.D
Signal(s) : FID2B.ch
Acq On : 14 Nov 2018 11:36
Operator : AJ\SJ
Sample : 50 TRPH STD
Misc :
ALS Vial : 54 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Nov 14 12:01:56 2018
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF111418.M
Quant Title :
QLast Update : Wed Nov 14 12:00:33 2018
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#1 N-OCTANE

R.T.: 2.258 min
Delta R.T.: 0.000 min
Response: 6280059
Conc: 50.00 ug/ml




#2 N-DECANE

R.T.: 4.366 min
Delta R.T.: 0.000 min
Response: 6244938
Conc: 50.00 ug/ml




#3 N-DODECANE

R.T.: 6.393 min
Delta R.T.: 0.000 min
Response: 6060248
Conc: 50.00 ug/ml




#4 N-TETRADECANE

R.T.: 8.190 min
Delta R.T.: 0.000 min
Response: 5775823
Conc: 50.00 ug/ml




#5 N-HEXADECANE

R.T.: 9.791 min
Delta R.T.: 0.000 min
Response: 5466946
Conc: 50.00 ug/ml




#6 N-OCTADECANE

R.T.: 11.235 min
Delta R.T.: 0.000 min
Response: 5190262
Conc: 50.00 ug/ml




#7 N-EICOSANE

R.T.: 12.548 min
Delta R.T.: 0.000 min
Response: 4841183
Conc: 50.00 ug/ml




#8 N-DOCOSANE

R.T.: 13.748 min
Delta R.T.: 0.000 min
Response: 4577863
Conc: 50.00 ug/ml




#9 TETRACOSANE-d50 (SURROGATE)

R.T.: 14.649 min
Delta R.T.: 0.000 min
Response: 3905810
Conc: 50.00 ug/ml




#10 N-TETRACOSANE

R.T.: 14.853 min
Delta R.T.: 0.000 min
Response: 4454449
Conc: 50.00 ug/ml




#11 N-HEXACOSANE

R.T.: 15.875 min
Delta R.T.: 0.000 min
Response: 4537649
Conc: 50.00 ug/ml




#12 N-OCTACOSANE

R.T.: 16.827 min
Delta R.T.: 0.000 min
Response: 4768990
Conc: 50.00 ug/ml




#13 N-TRIACONTANE

R.T.: 17.717 min
Delta R.T.: 0.000 min
Response: 4956810
Conc: 50.00 ug/ml




#14 N-DOTRIACONTANE

R.T.: 18.551 min
Delta R.T.: 0.000 min
Response: 4949784
Conc: 50.00 ug/ml




#15 N-TETRATRIACONTANE

R.T.: 19.338 min
Delta R.T.: 0.000 min
Response: 4935012
Conc: 50.00 ug/ml




#16 N-HEXATRIACONTANE

R.T.: 20.081 min
Delta R.T.: 0.000 min
Response: 4764913
Conc: 50.00 ug/ml



#17 N-OCTATRIACONTANE

R.T.: 20.819 min
Delta R.T.: 0.000 min
Response: 4394521
Conc: 50.00 ug/ml



#18 N-TETRACONTANE

R.T.: 21.724 min
Delta R.T.: 0.000 min
Response: 4379751
Conc: 50.00 ug/ml