

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF111524AR\
 Data File : FF015050.D
 Signal(s) : FID2B.ch
 Acq On : 14 Nov 2024 21:20
 Operator : YP\AJ
 Sample : 20 PPM AROMATIC HC STD
 Misc :
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 FID_F
 ClientSampleId :
 20 PPM AROMATIC HC STD

Integration File: autoint1.e
 Quant Time: Nov 15 02:04:46 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\Aromatic EPH 111524.M
 Quant Title : GC Extractables
 QLast Update : Fri Nov 15 02:02:38 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.989	2394220	19.606 ug/ml
Spiked Amount 50.000		Recovery =	39.21%
6) S 2-Fluorobiphenyl (SURR)	8.863	1593602	19.520 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	39.04%
11) S ortho-Terphenyl (SURR)	11.925	2600882	19.389 ug/ml
Spiked Amount 50.000		Recovery =	38.78%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.607	2680987	19.789 ug/ml
2) T Naphthalene (C11.7)	6.272	2725678	19.738 ug/ml
3) T 2-Methylnaphthalene (...)	7.365	2650114	19.650 ug/ml
5) T Acenaphthylene (C15.06)	8.664	2663300	19.504 ug/ml
7) T Acenaphthene (C15.5)	8.963	2609003	19.522 ug/ml
8) T Fluorene (C16.55)	9.751	2590489	19.407 ug/ml
9) T Phenanthrene (C19.36)	11.157	2476665	19.287 ug/ml
10) T Anthracene (C19.43)	11.231	2427432	19.243 ug/ml
12) T Fluoranthene (C21.85)	12.975	2415451	19.316 ug/ml
13) T Pyrene (C20.8)	13.274	2391790	19.362 ug/ml
14) T Benzo[a]anthracene (C...	15.152	2275655	19.195 ug/ml
15) T Chrysene (C27.41)	15.195	2287214	19.153 ug/ml
16) T benzo[b]fluoranthene ...	16.709	2328216	19.275 ug/ml
17) T Bnezo[k]fluoranthene ...	16.741	2316890	19.245 ug/ml
18) T Benzo[a]pyrene (C31.34)	17.088	2250514	19.312 ug/ml
19) T Indeno[1,2,3-cd]pyren...	18.459	2227722	18.792 ug/ml
20) T Dibenz[a,h]anthracene...	18.498	2365012	18.501 ug/ml
21) T Benzo[g,h,i]perylene ...	18.716	2489265	19.186 ug/ml

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF111524AR\
Data File : FF015050.D
Signal(s) : FID2B.ch
Acq On : 14 Nov 2024 21:20
Operator : YP\AJ
Sample : 20 PPM AROMATIC HC STD
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
FID_F
ClientSampleId :
20 PPM AROMATIC HC STD

Integration File: autoint1.e
Quant Time: Nov 15 02:04:46 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\Aromatic EPH 111524.M
Quant Title : GC Extractables
QLast Update : Fri Nov 15 02:02:38 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm

