

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF111624AR\
 Data File : FF015053.D
 Signal(s) : FID2B.ch
 Acq On : 15 Nov 2024 10:24
 Operator : YP\AJ
 Sample : 20 PPM AROMATIC HC STD
 Misc :
 ALS Vial : 41 Sample Multiplier: 1

Instrument :
 FID_F
 ClientSampleId :
 20 PPM AROMATIC HC STD

Integration File: autoint1.e
 Quant Time: Nov 15 13:48:57 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\Aromatic EPH 111524.M
 Quant Title : GC Extractables
 QLast Update : Fri Nov 15 02:02:38 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.989	2380397	19.493 ug/ml
Spiked Amount 50.000		Recovery =	38.99%
6) S 2-Fluorobiphenyl (SURR)	8.863	1581197	19.368 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	38.74%
11) S ortho-Terphenyl (SURR)	11.924	2624767	19.567 ug/ml
Spiked Amount 50.000		Recovery =	39.13%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.607	2639487	19.483 ug/ml
2) T Naphthalene (C11.7)	6.271	2697259	19.532 ug/ml
3) T 2-Methylnaphthalene (...)	7.364	2618204	19.413 ug/ml
5) T Acenaphthylene (C15.06)	8.663	2660401	19.482 ug/ml
7) T Acenaphthene (C15.5)	8.962	2605079	19.492 ug/ml
8) T Fluorene (C16.55)	9.750	2564966	19.215 ug/ml
9) T Phenanthrene (C19.36)	11.156	2463773	19.186 ug/ml
10) T Anthracene (C19.43)	11.230	2369681	18.785 ug/ml
12) T Fluoranthene (C21.85)	12.976	2414567	19.309 ug/ml
13) T Pyrene (C20.8)	13.274	2402190	19.446 ug/ml
14) T Benzo[a]anthracene (C...	15.152	2193584	18.503 ug/ml
15) T Chrysene (C27.41)	15.195	2268734	18.999 ug/ml
16) T benzo[b]fluoranthene ...	16.710	2511064	20.788 ug/ml
17) T Bnezo[k]fluoranthene ...	16.741	2445909	20.317 ug/ml
18) T Benzo[a]pyrene (C31.34)	17.090	2198664	18.867 ug/ml
19) T Indeno[1,2,3-cd]pyren...	18.460	2108141	17.784 ug/ml
20) T Dibenz[a,h]anthracene...	18.499	2286708	17.888 ug/ml
21) T Benzo[g,h,i]perylene ...	18.717	2470379	19.041 ug/ml

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF111624AR\
Data File : FF015053.D
Signal(s) : FID2B.ch
Acq On : 15 Nov 2024 10:24
Operator : YP\AJ
Sample : 20 PPM AROMATIC HC STD
Misc :
ALS Vial : 41 Sample Multiplier: 1

Instrument :
FID_F
ClientSampleId :
20 PPM AROMATIC HC STD

Integration File: autoint1.e
Quant Time: Nov 15 13:48:57 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\Aromatic EPH 111524.M
Quant Title : GC Extractables
QLast Update : Fri Nov 15 02:02:38 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm

