

rteres.txt

Area Percent Report

Instrument :
FID_F
ClientSampleId :
PB115119BS

Manual Integrations
APPROVED

mohammad
11/29/2018 2:03:49 PM

Data Path : \\TERASTORAGE\Terastorage\pestpcbsrv\HPCHEM1\FID_F\Data\
Data File : FF002829.D
Signal(s) : FID2B.ch
Acq On : 29 Nov 2018 02:36
Sample : PB115119BS
Misc :
ALS Vial : 81 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF111418.M
Title :

Signal : FID2B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	2.277	2.249	2.337	BB	282305	2410371	100.00%	6.105%
2	4.374	4.346	4.426	BB	250671	2343620	97.23%	5.936%
3	6.394	6.364	6.444	BB	229593	2286893	94.88%	5.792%
4	8.187	8.157	8.242	BB	209864	2231730	92.59%	5.653%
5	9.790	9.757	9.844	BB	197190	2225000	92.31%	5.636%
6	11.233	11.196	11.282	BB	192691	2221339	92.16%	5.626%
7	12.546	12.491	12.586	BB	181402	2203875	91.43%	5.582%
8	13.748	13.691	13.786	BB	183299	2212729	91.80%	5.604%
9	14.650	14.589	14.707	BV	145786	1954749	81.10%	4.951%
10	14.853	14.792	14.901	BB	172918	2215838	91.93%	5.612%
11	15.877	15.817	15.929	BB	164993	2230393	92.53%	5.649%
12	16.829	16.771	16.881	BB	166931	2288592	94.95%	5.797%
13	17.719	17.651	17.772	BB	165293	2347410	97.39%	5.946%
14	18.553	18.441	18.614	BV	161667	2366960	98.20%	5.995%
15	19.339	19.294	19.391	VBA	164994	2352937	97.62%	5.960%
16	20.084	20.031	20.130	BBA	139681	2094914	86.91%	5.306%
17	20.822	20.716	20.897	PV	94623	1818510	75.45%	4.606%
18	21.725	21.654	21.811	VBA	59298	1675560	69.51%	4.244%
Sum of corrected areas:							39481421	

FF111418.M Thu Nov 29 10:07:34 2018