

rteres.txt

Area Percent Report

Instrument :
FID_F
LabSampleId :
50 PPM TRPH STD

Manual Integrations
APPROVED

mohammad
12/5/2018 11:34:55 AM

Data Path : \\TERASTORAGE\Terastorage\pestpcbsrv\HPCHEM1\FID_F\Data\
Data File : FF002850.D
Signal(s) : FID2B.ch
Acq On : 30 Nov 2018 10:59 am
Sample : 50 PPM TRPH STD
Misc :
ALS Vial : 53 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF111418.M
Title :

Signal : FID2B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	2.277	2.252	2.342	BB	573769	4933039	96.01%	5.920%
2	4.373	4.344	4.435	BB	525645	5007883	97.47%	6.010%
3	6.394	6.355	6.454	BB	495952	4916723	95.69%	5.900%
4	8.187	8.149	8.250	BB	452838	4813190	93.68%	5.776%
5	9.789	9.752	9.845	BB	429099	4755809	92.56%	5.707%
6	11.233	11.192	11.285	BB	408721	4737870	92.21%	5.686%
7	12.545	12.505	12.599	BB	391473	4705892	91.59%	5.647%
8	13.747	13.675	13.790	BB	380744	4715598	91.78%	5.659%
9	14.648	14.589	14.679	BV	301431	4050852	78.84%	4.861%
10	14.853	14.789	14.904	BB	365470	4721931	91.90%	5.667%
11	15.876	15.817	15.932	BB	351044	4773937	92.92%	5.729%
12	16.828	16.762	16.884	BB	352346	4918744	95.73%	5.903%
13	17.717	17.652	17.769	BB	371023	5135618	99.95%	6.163%
14	18.552	18.429	18.615	BB	362000	5137941	100.00%	6.166%
15	19.338	19.280	19.390	BBA	345367	4987735	97.08%	5.985%
16	20.081	20.030	20.130	BBA	299261	4466584	86.93%	5.360%
17	20.817	20.747	20.900	BV	189078	3552352	69.14%	4.263%
18	21.719	21.605	21.810	BBA	108856	2998817	58.37%	3.599%
Sum of corrected areas:							83330513	

FF111418.M Fri Nov 30 11:25:29 2018