

rteres.txt

Area Percent Report

Instrument :
FID_F
LabSampleId :
50 PPM TRPH STD

Manual Integrations
APPROVED

mohammad
12/5/2018 11:35:12 AM

Data Path : \\TERASTORAGE\Terastorage\pestpcbsrv\HPCHEM1\FID_F\Data\
Data File : FF002865.D
Signal(s) : FID2B.ch
Acq On : 30 Nov 2018 08:01 pm
Sample : 50 PPM TRPH STD
Misc :
ALS Vial : 53 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF111418.M
Title :

Signal : FID2B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.373	4.342	4.429	BB	560853	5249819	100.00%	9.644%
2	6.394	6.357	6.444	BB	517497	5122510	97.57%	9.410%
3	8.187	8.154	8.242	BB	481652	5004242	95.32%	9.193%
4	9.789	9.732	9.846	BB	456396	4956085	94.40%	9.105%
5	11.232	11.169	11.286	BB	414308	4939724	94.09%	9.075%
6	12.545	12.482	12.596	BB	409821	4911240	93.55%	9.022%
7	13.746	13.654	13.796	BB	388720	4925602	93.82%	9.049%
8	14.647	14.587	14.678	BV	318660	4230277	80.58%	7.771%
9	14.852	14.789	14.904	BB	381705	4935640	94.02%	9.067%
10	15.875	15.816	15.929	BB	385809	4997268	95.19%	9.180%
11	16.828	16.757	16.886	BB	368541	5162363	98.33%	9.484%
Sum of corrected areas:						54434769		

FF111418.M Mon Dec 03 09:13:15 2018