

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF120925AR\
 Data File : FF016880.D
 Signal(s) : FID2B.ch
 Acq On : 09 Dec 2025 15:57
 Operator : YP\AJ
 Sample : Q3530-08
 Misc : 5PPM WATER LOQ
 ALS Vial : 74 Sample Multiplier: 1

Instrument :
 FID_F
 ClientSampleId :
 LOQ-WATER-02-QT4-2025

Manual Integrations
 APPROVED

Reviewed By :Rahul Chavli 12/10/2025
 Supervised By :Yogesh Patel 12/10/2025

Integration File: autoint1.e
 Quant Time: Dec 10 03:43:46 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\Aromatic EPH 112625.M
 Quant Title : GC Extractables
 QLast Update : Mon Dec 01 08:18:58 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	8.002	6997758	61.029 ug/ml
Spiked Amount 50.000		Recovery =	122.06%
6) S 2-Fluorobiphenyl (SURR)	8.877	4550519	64.198 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	128.40%
11) S ortho-Terphenyl (SURR)	11.944	7167321	48.706 ug/ml
Spiked Amount 50.000		Recovery =	97.41%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.593	507321	3.692 ug/ml
2) T Naphthalene (C11.7)	6.271	507257	3.730 ug/ml
3) T 2-Methylnaphthalene (...)	7.371	460719	3.404 ug/ml
5) T Acenaphthylene (C15.06)	8.674	614964	4.496 ug/ml
7) T Acenaphthene (C15.5)	8.973	754567	5.258 ug/ml
8) T Flouorene (C16.55)	9.765	533148	4.016 ug/ml
9) T Phenanthrene (C19.36)	11.173	544768	4.195 ug/ml
10) T Anthracene (C19.43)	11.249	595007	4.676 ug/ml
12) T Fluoranthene (C21.85)	12.996	622469	4.743 ug/ml
13) T Pyrene (C20.8)	13.294	609380	4.627 ug/ml
14) T Benzo[a]anthracene (C...	15.184	443793	4.123 ug/ml
15) T Chrysene (C27.41)	15.224	744917	5.384 ug/ml
16) T benzo[b]fluoranthene ...	16.745	448672	3.799 ug/ml
17) T Bnezo[k]fluoranthene ...	16.776	569930	4.422 ug/mlm
18) T Benzo[a]pyrene (C31.34)	17.132	443608	3.688 ug/ml
19) T Indeno[1,2,3-cd]pyren...	18.510	343455	3.473 ug/ml
20) T Dibenz[a,h]anthracene...	18.546	652958	4.134 ug/ml
21) T Benzo[g,h,i]perylene ...	18.759	462392	3.640 ug/ml

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF120925AR\
Data File : FF016880.D
Signal(s) : FID2B.ch
Acq On : 09 Dec 2025 15:57
Operator : YP\AJ
Sample : Q3530-08
Misc : 5PPM WATER LOQ
ALS Vial : 74 Sample Multiplier: 1

Instrument :
FID_F
ClientSampleId :
LOQ-WATER-02-QT4-2025

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 12/10/2025
Supervised By :Yogesh Patel 12/10/2025

Integration File: autoint1.e
Quant Time: Dec 10 03:43:46 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\Aromatic EPH 112625.M
Quant Title : GC Extractables
QLast Update : Mon Dec 01 08:18:58 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm

